

Aanen, D. K. & Kuyper, T. W. (1999). Intercompatibility tests in the *Hebeloma crustuliniforme* complex in northwestern Europe. *Mycologia* 91: 783-795.

Aanen, D. K., T. W. Kuyper, T. Boekhout & R. F. Hoekstra (2000). Phylogenetic relationships in the genus *Hebeloma* based on ITS1 and 2 sequences, with special emphasis on the *Hebeloma crustuliniforme* complex. *Mycologia* 92: 269-281.

Abbott, S. O. & Currah, R. S. (1997). The Helvellaceae: Systematic revision and occurrence in northern and northwestern North America. *Mycotaxon* 62: 1-125.

Abesha, E. et al. (2003). Population genetics and spatial structure of the fairy ring fungus *Marasmius oreades* in a Norwegian sand dune ecosystem. *Mycologia* 95: 1021-1031.

Adamcik, S. (2002). Taxonomy of the *Russula xerampelina* group. Part 2. Taxonomic and nomenclatural study of *Russula xerampelina* and *R. erythropoda*. *Mycotaxon* 82: 241-267.

Adamcik, S., J. Holec, P. Lizon, S. Ripkova & V. Kucera (2006). Notes on taxa of the genus *Pholiota* described by C. Kalchbrenner. *Mycotaxon* 97: 5-12.

Aime, M. C. (2001). Biosystematic studies in *Crepidotus* and the Crepidotaceae. Doctoral dissertation, Virginia Polytechnic and State University.

Aime, M. C., R. Vilgalys & O. K. Miller (2005). The Crepidotaceae (Basidiomycota, Agaricales): Phylogeny and taxonomy of the genera and revision of the family based on molecular evidence. *American Journal of Botany* 92: 74-82.

Akers, B. P. & W. J. Sundberg (1998). Lepiotaceae of Florida, I. *Lepiota* s. str., section *Ovisporae*. *Mycotaxon* 69: 429-436.

Akers, B. P. & W. J. Sundberg (1999). Lepiotaceae of Florida, II. *Lepiota* s. str., section *Fuscovinacae*. *Mycotaxon* 70: 453-460.

Akers, B. P. & W. J. Sundberg (2000). Lepiotaceae of Florida, III. *Lepiota* s. str., section *Lepiota*. *Mycotaxon* 75: 137-145.

Akers, B. P., S. A. Angels & J. W. Kimbrough (2000). *Leucoagaricus viridiflavoides*, a new species from Florida, with notes on related taxa. *Mycotaxon* 76: 39-50.

Akers, B. P. & W. J. Sundberg (2001). Lepiotaceae of Florida, IV. Stenosporic species of *Lepiota* s. str.. *Mycotaxon* 80: 469-479.

Alberto, E. et al. (1998). Reevaluation of *Hohenbuehelia nigra* and species with close affinities. *Mycologia* 90: 142-150.

Al-Mughrabi, K. & Hsiang, T. (1998). The mating system of *Daedalopsis confragosa*. *Mycologia* 90: 82-84.

Amir, R. et al. (1992). Formation of sclerotia by *Morchella esculenta*: relationship between media composition and turgor potential in the mycelium. *Mycological Research* 96: 943-948.

Amir, R., Levanon, D. et al. (1993). Morphology and physiology of *Morchella esculenta* during sclerotial formation. *Mycological Research* 97: 683-689.

Amir, R. et al. (1994). The role of source-sink relationships in translocation during sclerotial formation

by *Morchella esculenta*. *Mycological Research* 98: 1409-1414.

Amir, R. et al. (1995). Factors affecting translocation and sclerotial formation in *Morchella esculenta*. *Experimental Mycology* 19: 61-70.

Amir, R. et al. (1995). Turgor changes in *Morchella esculenta* during translocation and sclerotial formation. *Experimental Mycology* 19: 129-136.

Ammirati, J. F. & Smith, A. H. (1969). Studies in the genus *Cortinarius*, I: Section *Dermocybe*, *Cortinarius aureifolius* complex. *The Michigan Botanist* 8: 175-180.

Ammirati, J. F. (1972). The section *Dermocybe* of *Cortinarius*. Ph. D. thesis, University of Michigan. 282 pp.

Ammirati, J. F. & Smith, A. H. (1972). Studies in the genus *Cortinarius*, II: Section *Dermocybe*, new and interesting species from Michigan. *The Michigan Botanist* 11: 13-25.

Ammirati, J. F. (1975). *Cortinarius*, section *Dermocybe*—*Cortinarius clelandii*. *Mycotaxon* 3: 95-101.

Ammirati, J. F. & Smith, A. H. (1977). Studies in the genus *Cortinarius*, III: Section *Dermocybe*, new North American species. *Mycotaxon* 5: 381-397.

Ammirati, J. F., Thiers, H. D. & Horgan, P. A.. (1977). Amatoxin-containing mushrooms: *Amanita ocreata* and *A. phalloides* in California. *Mycologia* 69: 1095-1108.

Ammirati, J. F. & Ovrebo, C. L. (1979). Type studies: Some *Cortinarius* and *Tricholoma* species described by Charles Horton Peck. *Mycotaxon* 8: 353-371.

Ammirati, J. F. & Smith, A. H. (1984). *Cortinarius* II: A preliminary treatment of species in the subgenus *Dermocybe*, section *Sanguinei*, in North America, north of Mexico. *Mcllvainea* 6: 54-64.

Ammirati, J. F. (1988). *Dermocybe* (or *Cortinarius*, subgenus *Dermocybe*): Some species in the sections *Dermocybe*, *Holoxanthae*, and *Malicoriae*. *Mcllvainea* 8: 48-59.

Ammirati, J. F. (1988). *Dermocybe* (Cortinariaceae, Agaricales): North American names - new combinations, synonyms, and notes. *Mycotaxon* 33: 437-446.

Ammirati, J. F. (1989). *Dermocybe*, subgenus *Dermocybe*, section *Sanguineae* in northern California. *Mycotaxon* 34: 21-36.

Andary, C., Privat, G. & Bourrier, M. (1985). Variations of monomethylhydrazine content in *Gyromitra esculenta*. *Mycologia* 77: 259-264.

Anderson, J. B. & R. C. Ulrich (1979). Biological species of *Armillaria mellea* in North America. *Mycologia* 71: 402-412.

Anderson, J. B. (1986). Biological species of *Armillaria* in North America: Redesignation of groups IV and VIII and enumeration of voucher strains for other groups. *Mycologia* 78: 837-839.

Antonin, V. et al. (1997). Generic concepts within the groups of *Marasmius* and *Collybia sensu lato*. *Mycotaxon* 63: 359-368.

Apfelbaum, S. I. Et al. (1984). Ascocarp formation by *Morchella angusticeps* after wildfire. *The Michigan botanist* 23: 99-102.

- Armstrong, T. M. & Methven, A. S. (2001). Improved method of in vitro production of *Cyathus stercoreus* gastrocarps. *Micologia Aplicada International* 13: 69-71.
- Arnolds, E. (1996). Een voorlopige sleutel tot het geslacht *Panaeolus* (Vlekplaat) in Nederland. *Coolia* 39: 142-147.
- Arora, D. (1986). *Mushrooms demystified: A comprehensive guide to the fleshy fungi*. Berkeley: Ten Speed Press. 959 pp.
- Atkinson, G. F. (1901). *Studies of American fungi: mushrooms edible poisonous etc*. Ithaca: Andrus & Church. 322 pp.
- Atkinson, G. F. (1906). Two new species belonging to *Naucoria* and *Stropharia*. *The Journal of Mycology* 12: 193-194.
- Atkinson, G. F. (1918). Some new species of *Inocybe*. *American Journal of Botany* 5: 210-218.
- Baldrian, P. & Gabriel, J. (2002). Intraspecific variability in growth response to cadmium of the wood-rotting fungus *Piptoporus betulinus*. *Mycologia* 94: 428-436.
- Bandala, V. M. & Montoya, L. (1994). Further investigations on *Phaeocollybia* with notes on infrageneric classification. *Mycotaxon* 52: 397-422.
- Bandala, V. M. et al. (1998). New data on the genus *Phaeocollybia* based on type studies. *Mycologia* 90: 118-124.
- Bandala, V. M. & Montoya, L. (2000). A taxonomic revision of some American *Crepidotus*. *Mycologia* 92: 341-353.
- Bandoni, R. J. (1988). Taxonomic overview of the Tremellales. *Studies in Mycology* 30: 87-100.
- Banik, M. T., J. A. Paul & H. H. Burdsall (1995). Identification of *Armillaria* species from Wisconsin and adjacent areas. *Mycologia* 87: 707-712.
- Banik, M. T., T. J. Volk & H. H. Burdsall (1996). *Armillaria* species of the Olympic Peninsula of Washington state, including confirmation of North American biological species XI. *Mycologia* 88: 492-496.
- Baral, H. O. & G. Marson (2000). Monographic revision of *Gelatinopsis* and *Calloriopsis* (*Calloriopsidae*, *Leotiales*). In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 23-46.
- Baral, H. O. (2004). The European and North American species of *Sarcoscypha*. Retrieved from the Web site of H. O. Baral: <http://www.gbif-mycology.de/HostedSites/Baral/Sarcoscypha.htm>
- Barkman, J. J. & M. E. Noordeloos (1986). *Entoloma juniperinum*: a new species from *Juniperus* heaths in northwestern Europe. *Persoonia* 13: 123-125.
- Barnhart, H. (2005). A trial key to *Gymnopilus* in the Pacific Northwest. Retrieved from the Pacific Northwest Key Council Web site: <http://www.svims.ca/council/Gymnol.rtf>
- Baroni, T. J. (1978). Chemical spot-test reactions—boletes. *Mycologia* 70: 1064-1076.
- Baroni, T. J. & Ovrebo, C. L. (1983). *Tricholoma manzanitae*—a new species from California. *Mycotaxon* 18: 299-302.
- Baroni, T. J. (1990). Entolomataceae in eastern North America I: New species of *Claudopus* and

- Rhodocybe* from the southern Appalachian mountains. *Mycotaxon* 36: 313-323.
- Baroni, T. J. & Horak, E. (1994). Entolomataceae in North America III: New taxa, new combinations and notes on species of *Rhodocybe*. *Mycologia* 86: 138-145.
- Baroni, T. J. & Lodge, D. J. (1998). *Alboleptonia* from the Greater Antilles. *Mycologia* 90: 680-696.
- Baroni, T. J. & E. E. Both (1998). *Tylopilus violatinctus*, a new species of *Tylopilus* for North America, with comments on other violaceous colored *Tylopilus* taxa. *Bulletin of the Buffalo Society of Natural Sciences* 36: 261-264.
- Baroni, T. J., E. E. Both & A. E. Bessette (1998). *Tylopilus rhodoconius*, *comb. nov.*—new records, critical observations, illustrations, and notes on biogeography. *Bulletin of the Buffalo Society of Natural Sciences* 36: 257-260.
- Baroni, T. J. & R. E. Halling (2000). Some Entolomataceae (Agaricales) from Costa Rica. *Brittonia* 52: 121-135.
- Barron, G. (1999). *Mushrooms of northeast North America*. Canada: Lone Pine. 336 pp.
- Bas, C. (1969). *Amanita thiersii*. In *Amanita* section *Lepidella*. *Persoonia* 5: 382-384.
- Bas, C. & M. E. Noordeloos (1996). Notulae ad floram agaricinam neerlandicam XXIX: Two new species of *Psilocybe*. *Persoonia* 16: 239-44.
- Batra, L. R. (1976). *Helvella* and *Gyromitra* (Pezizales: Operculatae) in the southern Appalachians. In B. C. Parker & M. K. Roane, eds. *Distributional history of the biota of the southern Appalachians. Part IV. Algae & fungi: biogeography, systematics and ecology*. Charlottesville, Virginia: University Press of Virginia. 145-204.
- Baumgartner, K. & D. M. Rizzo (2001). Distribution of *Armillaria* species in California. *Mycologia* 93: 821-830.
- Beardslee, H. C. (1914). Notes on a few Asheville fungi. *Mycologia* 6: 88-92.
- Began, T. J. (1988). The genus *Amanita* in southern Illinois including cultural characters and a detailed study of volval anatomy in section *Lepidella*. MA Thesis, Southern Illinois University. Carbondale, IL. 127 pp.
- Benedict, R. G., L. R. Brady & D. E. Stuntz (1972). Taxonomic status of *Pholiota aurea*. *Mycologia* 64: 1167-1169.
- Bergemann, S. E. & Miller, S. L. (2002). Size, distribution, and persistence of genets in local populations of the late-stage ectomycorrhizal basidiomycete, *Russula brevipes*. *New Phytologist* 156: 313-320.
- Bergius, N. & Danell, E. (2000). The Swedish matsutake (*Tricholoma nauseosum* syn. *T. matsutake*): Distribution, abundance and ecology. *Scandinavian Journal of Forest Research* 15: 318-325.
- Bermudes, D. et al. Low-level bioluminescence detected in *Mycena haematopus* basidiocarps. *Mycological Research* 84: 799-802.
- Berres, M. E. et al. Phylogenetic relationships in auriculariaceous basidiomycetes based on 25S ribosomal DNA sequences. *Mycologia* 87: 821-840.
- Berthet, P. & R. P. Korf (1969). Sur la position taxonomique du genre *Jafnea* Korf. *Le Naturaliste Canadien* 96: 247-249.

- Berube, J. A. & M. Dessureault (1988). Morphological characterization of *Armillaria ostoyae* and *Armillaria sinapina* sp. nov. *Canadian Journal of Botany* 66: 2027-2034.
- Berube, J. A. & M. Dessureault (1989). Morphological studies of the *Armillaria mellea* complex: Two new species, *A. gemina* and *A. calvescens*. *Mycologia* 81: 216-225.
- Bessette, A. & W. J. Sundberg (1987). *Mushrooms: A Quick Reference Guide to Mushrooms of North America*. New York: MacMillan. 175 pp.
- Bessette, A. E., et al. (1995). *Mushrooms of North America in color: A field guide companion to seldom-illustrated fungi*. China: Syracuse UP. 172 pp.
- Bessette, A. E., et al. (1997). *Mushrooms of northeastern North America*. China: Syracuse UP. 584 pp.
- Bessette, A. E., E. E. Both, A. R. Bessette, D. L. Dunaway & W. C. Roody (1998). New taxa of boletes from the southern United States. *Bulletin of the Buffalo Society of Natural Sciences* 36: 233-237.
- Bessette, A. E., et al. (2000). *North American boletes: A color guide to the fleshy pored mushrooms*. China: Syracuse UP. 399 pp.
- Bigelow, H. E. (1959). Notes on fungi from northern Canada. IV. Tricholomataceae. *Canadian Journal of Botany* 37: 769-779.
- Bigelow, H. E. & A. H. Smith (1969). The status of *Lepista*--A new section of *Clitocybe*. *Brittonia* 21: 144-177.
- Bigelow, H. E. (1970). *Omphalina* in North America. *Mycologia* 62: 1-32.
- Bigelow, H. E. (1976). A new species of *Omphalotus*. *Mycotaxon* 3: 363-372.
- Bigelow, H. E. (1977). A new *Clitocybe* from Texas. *Mycologia* 69: 1047-1049.
- Bigelow, H. E. (1977). New taxa of *Clitocybe*. *Mycotaxon* 6: 181-185.
- Bigelow, H. E. (1978). The cantharelloid fungi of New England and adjacent areas. *Mycologia* 70: 707-756.
- Bigelow, H. E. (1979). A contribution to *Tricholoma*. *Beih. Sydowia Ann. Mycol.* 2.8: 54-62.
- Bigelow, H. E. & Kimbrough, J. W. (1980). *Tricholoma titans*, a new species from Florida. *Mycotaxon* 11: 425-429.
- Bigelow, H. E. (1981). Spore ornamentation in the Tricholomataceae I. *Mycologia* 73: 128-140.
- Bigelow, H. E. (1982). *North American species of Clitocybe. Part I*. Germany: J. Cramer. 280 pp.
- Bigelow, H. E. (1985). *North American species of Clitocybe. Part II*. Germany: J. Cramer. 191 pp.
- Bigelow, H. E. & Smith, A. H. (1970). A new *Clitocybe* from Michigan. *The Michigan Botanist* 9: 30-33.
- Bills, G. F. & Miller, O. K. (1984). Southern Appalachian russulas I. *Mycologia* 76: 975-1002.
- Bills, G. F. (1984). Southern Appalachian russulas II. *Mycotaxon* 21: 491-517.

Bills, G. F. (1986). Notes on *Lactarius* in the high-elevation forests of the southern Appalachians. *Mycologia* 78: 70-79.

Bills, G. F. (1989). Southern Appalachian russulas IV. *Mycologia* 81: 57-65.

Binder, M. & H. Besl (2000). 28S rDNA sequence data and chemotaxonomical analyses on the generic concept of *Leccinum* (Boletales). In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 75-86.

Binder, M. & Bresinsky, A. (2002). Derivation of a polymorphic lineage of Gasteromycetes from boletoid ancestors. *Mycologia* 94: 85-98.

Binder, M. & D. Hibbett (2004). Toward a global phylogeny of the boletes. Retrieved from the Clark University Web site: [http://www.clarku.edu/faculty/dhibbett/boletales\\_stuff/Global\\_Boletales\\_2004\\_28S.gif](http://www.clarku.edu/faculty/dhibbett/boletales_stuff/Global_Boletales_2004_28S.gif)

Binder, M. et al. (2005). The phylogenetic distribution of resupinate forms across the major clades of mushroom-forming fungi (Homobasidiomycetes). *Systematics and Biodiversity* 3: 1-45.

Bird, C. J. & Grund, D. W. (1979). Nova Scotian species of *Hygrophorus*. *Proceedings of the Nova Scotia Institute of Science* 29: 1-131.

Blanton, R. L. & Burk, W. R. (1980). Notes on *Pseudocolus fusiformis*. *Mycotaxon* 12: 225-234.

Blenis, P. V. et al. (1997). Evaluation of fungicides and surfactants for control of fairy rings caused by *Marasmius oreades* (Bolt ex. Fr.) Fr. *HortScience* 32: 1077-1084.

Boddy, L. & A. D. M. Rayner (1984). Fungi inhabiting oak twigs before and at fall. *Transactions of the British Mycological Society* 82: 501-505.

Boertmann, D. (2000). *The Genus Hygrocybe*. Denmark: Danish Mycological Society. 184 pp.

Bogart, F. van de (1976). The genus *Coprinus* in western North America, Part I: Section *Coprinus*. *Mycotaxon* 4: 233-275.

Bogart, F. van de (1979). The genus *Coprinus* in western North America, Part II: Section *Lanatulii*. *Mycotaxon* 8: 243-291.

Bogart, F. van de (1979). The genus *Coprinus* in western North America, Part III: Section *Atramentarii*. *Mycotaxon* 10: 155-174.

Bogart, F. van de (1981). Trial field key to coprinoid species in the Pacific Northwest (New format, names in segregate genera, footnotes, and additional species by I. Gibson & H. Janszen 2004, revised 2007). Retrieved March 18, 2008 from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Coprin.htm>

Bohus, G. (19??). *Agaricus* studies VII. *Sydowia* 7: 63-70.

Bon, M. (1981). Cle monographique des "lepiotes" d'Europe. *Documents Mycologiques* 11: 1-78.

Bonello, P. et al. (1998). Genetic structure of a natural population of the ectomycorrhizal fungus *Suillus pungens*. *New Phytologist* 138: 533-542.

Both, E. E. (1993). *The boletes of North America: A compendium*. Buffalo NY: Buffalo Museum of Science. 436 pp.

Both, E. E. (1998). New taxa of boletes and two boletes with identity problems. *Bulletin of the Buffalo*

*Society of Natural Sciences* 36: 215-232.

Boudier, E. (1907). *Histoire et classification des Discomycetes d'Europe*. Paris: Librairie des Sciences Naturelles. [Selections]

Bresinsky, A., M. Jarosch, M. Fischer, I. Schonberger & B. Wittmann-Bresinsky (1999). Phylogenetic relationships within *Paxillus* s. l. (Basidiomycetes, Boletales): Separation of a southern hemisphere genus. *Plant Biology* 1: 327-333.

Brietenbach, J. & Kranzlin, F. (1984). *Fungi of Switzerland: A contribution to the knowledge of the fungal flora of Switzerland. Volume 1 Ascomycetes*. Transl. Walters, V. L. & Walters, J. F. Lucern: Verlag Mykologia. 310 pp.

Brietenbach, J. & Kranzlin, F. (1991). *Fungi of Switzerland: A contribution to the knowledge of the fungal flora of Switzerland. Volume 3 boletes and agarics 1<sup>st</sup> part*. Transl. Walters, V. L. & Walters, J. F. Lucern: Verlag Mykologia. 310 pp.

Brietenbach, J. & Kranzlin, F. (1995). *Fungi of Switzerland: A contribution to the knowledge of the fungal flora of Switzerland. Volume 4 agarics 2nd part*. Transl. Walters, V. L. & Walters, J. F. Lucern: Verlag Mykologia. 368 pp.

Brock, T. D. (1951). Studies on the nutrition of *Morchella esculenta* Fries. *Mycologia* 43: 402-422.

Brodie, H. J. (1952). Interfertility between two distinct forms of *Cyathus olla*. *Mycologia* 44:413-423.

Brodie, H. J. (1967). New record of a large *Cyathus* from western Canada. *Mycologia* 59: 532-533.

Brodie, H. J. (1975). *The bird's nest fungi*. Buffalo: University of Toronto Press.

Bruns, T. D. & Palmer, J. D. (1989). Evolution of mushroom mitochondrial DNA: *Suillus* and related genera. *Journal of Molecular Evolution* 28: 349-362.

Bruns, T. D. et al. (1998). A sequence database for the identification of ectomycorrhizal basidiomycetes by phylogenetic analysis. *Molecular Ecology* 7: 257-272.

Bruns, T. D. et al. (2002). Host specificity in ectomycorrhizal communities: What do the exceptions tell us? *Integ. and Comp. Biol.* 42: 352-359.

Bruns, T. D. et al. (2002). Survival of *Suillus pungens* and *Amanita francheti* ectomycorrhizal genets was rare or absent after a stand-replacing wildfire. *New Phytologist* 155: 517-523.

Brusis, O. A. (1972). A new species of *Fistulina* from Mexico. *Mycologia* 64: 1248-1251.

Bunyard, B. A. et al. (1994). A systematic assessment of *Morchella* using RFLP analysis of the 28S ribosomal RNA gene. *Mycologia* 86: 762-772.

Bunyard, B. A. et al. (1995). Phylogenetic resolution of *Morchella*, *Verpa*, and *Disciotis* [Pezizales: Morchellaceae] based on restriction enzyme analysis of the 28S ribosomal RNA gene. *Experimental Mycology* 19: 223-233.

Bunyard, B. A. et al. (1996). Ribosomal DNA analysis for resolution of genotypic classes of *Pleurotus*. *Mycological Research* 100: 143-150.

Bunyard, B. A., M. S. Nicholson & D. J. Royse (1996). Phylogeny of the genus *Agaricus* inferred from restriction analysis of the enzymatically amplified ribosomal DNA. *Fungal Genetics and Biology* 20: 243-253.

Burdsall, H. H. Jr. & Banik, M. T. (2001). The genus *Laetiporus* in North America. *Harvard Papers in*

*Botany* 6: 43-55.

Burk, W. R. (1978). *Pseudocolus fusiformis*: Synonymy and distributional records. *Mycologia* 70: 900-905.

Burk, W. R. (1979). *Clathrus ruber* in California and worldwide distributional records. *Mycotaxon* 8: 463-468.

Burk, W. R. & Lupone, G. F. (1979). *Pisolithus tinctorius*, a pavement breaker in southern California. *Mycotaxon* 8: 469-470.

Burlingham, G. S. (1945). Noteworthy species of *Lepiota* and *Lactaria*. *Mycologia* 37: 53-64.

Burnett, J. H. (1968). *Fundamentals of mycology*. London: Edward Arnold. 546 pp.

Buscot, F. & Roux, J. (1987). Association between living roots and ascocarps of *Morchella rotunda*. *Transactions of the British Mycological Society* 89: 249-252.

Buscot, F. (1989). Field observation on growth and development of *Morchella rotunda* and *Mitrophora semilibera* in relation to forest soil temperature. *Canadian Journal of Botany* 67: 589-593.

Buscot, F. & Kottke, I. (1990). The association of *Morchella rotunda* (Pers.) Boudier with roots of *Picea abies* (L.) Karst. *New Phytologist* 116: 425-430.

Buscot, F. & Bernillon, J. (1991). Mycosporins and related compounds in field and cultured mycelial structures of *Morchella esculenta*. *Mycological Research* 95: 752-754.

Buscot, F. (1992). Synthesis of two types of association between *Morchella esculenta* and *Picea abies* under controlled culture conditions. *Journal of Plant Physiology* 141: 12-17.

Buscot, F. (1992). Mycorrhizal succession and morel biology. In *Mycorrhizas in Ecosystems*. Ed. D. H. Lewis et al. C.A.B. International. 220-224.

Buscot, F. (1993). Mycelial differentiation of *Morchella esculenta* in pure culture. *Mycological Research* 97: 136-140.

Buscot, F. et al. (1996). DNA polymorphism in morels: PCR/RFLP analysis of the ribosomal DNA spacers and microsatellite-primed PCR. *Mycological Research* 100: 63-71.

Butler, G. (1981, 2004). Trial field key to species of the genus *Lepista* and related species (*Clitocybe* - Section *Verruculosae*) for the Pacific Northwest. Retrieved April 2, 2008 from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Lepist.rtf>

Buyck, B. (1999). Validation of *Russula dennisii*. *Mycotaxon* 73: 275-280.

Buyck, B. & Horak, E. (1999). New taxa of pleurotoid Russulaceae. (1999). *Mycologia* 91: 532-537.

Buyck, B. & Meijer, A. (1999). *Russula obtusopunctata*, a new synonym for *Lactarius venezuelanus*. *Mycotaxon* 73: 267-273.

Buyck, B. & Ovrebo, C. L. (2002). New and interesting *Russula* species from Panama. *Mycologia* 94: 888-901.

Buyck, B. (2006). Provisional key to subsection Virescentinae in the U. S. Retrieved September 27, 2006 from the *Russulales News* Web site: [http://www.mtsn.tn.it/russulales-news/id\\_virescentinae.asp](http://www.mtsn.tn.it/russulales-news/id_virescentinae.asp)

Buyck, B., D. Mitchell & J. Parrent (2006). *Russula parvovirescens* sp. nov., a common but ignored species in the eastern United States. *Mycologia* 98: 612-615.

- Cain, R. F. (1972). Evolution of the fungi. *Mycologia* 64: 1-14.
- Cairney, J. W. G. (1991). Rhizomorph structure in *Aseroe rubra* La Bill. (Phallales). *Cryptogamic Botany* 2/3: 242-245.
- Callac, P., et al. (2003). A novel homothallic variety of *Agaricus bisporus* comprises rare tetrasporic isolates from Europe. *Mycologia* 95: 222-231.
- Callac, P. & Guinberteau, J. (2005). Morphological and molecular characterization of two novel species of *Agaricus* section *Xanthodermati*. *Mycologia* 97: 416-424.
- Callan, B. E. & J. D. Rogers. (1993). A synoptic key to *Xylaria* species from continental United States and Canada based on cultural and anamorphic features. *Mycotaxon* 46: 141-154.
- Calonge, F. D., M. Mata & J. Caranza (2005). Contribucion al catalogo de los Gasteromycetes (Basidiomycotina, Fungi) de Costa Rica. *Anales del Jardin Botanico de Madrid* 62: 23-45.
- Calvo-Bado, L. et al. (2000). Sexual and genetic identity in the *Agaricus* section *Arvenses*. *Applied and Environmental Microbiology* 66: 728-734.
- Candolle, A. P. de & J. B. A. P. M. de Lamarck (1815). XXIX Morille *Morchella semilibera*. *Flore Francaise*. Ed. 3, vol. 2. Paris: 212-213.
- Candusso, M., A. Gennari & N. Ayala (1994). Agaricales of Baja California - Mexico. *Mycotaxon* 50: 175-189.
- Cantrell, S. A. & Lodge, D. J. (2004). Hygrophoraceae (Agaricales) of the Greater Antilles: *Hygrocybe* subgenus *Pseudohygrocybe* sections *Coccineae* and *Neohygrocybe*. *Mycological Research* 108: 1301-1314.
- Carpenter, S. E., Trappe, J. M. & Ammirati, J. (1987). Observations of fungal succession in the Mount St. Helens devastation zone, 1980-1983. *Canadian Journal of Botany* 65: 716-728.
- Cavaliere, A. R. (1964). Common fleshy fungi from central Arizona. *The Southwestern Naturalist* 8: 196-203.
- Cazares, E. & Trappe, J. M. (1994). Spore dispersal of ectomycorrhizal fungi on a glacier forefront by mammal mycophagy. *Mycologia* 86: 507-510.
- Challen, M. P., R. W. Kerrigan & P. Callac (2003). A phylogenetic reconstruction and emendation of *Agaricus* section *Duploannulatae*. *Mycologia* 95: 61-73.
- Chapela, I. H. & Garbelotto, M. (2004). Phylogeography and evolution in matsutake and close allies inferred by analyses of ITS sequences and AFLPs. *Mycologia* 96: 730-741.
- Chen, C. (1999). *Genetic and molecular systematic study on the genus Montagnea Fr., a desert adapted Gasteromycete*. Blacksburg, Virginia: Virginia Polytechnic Institute and State University thesis.
- Child, M. (1929). Preliminary studies in the genus *Daldinia*. *Annals of the Missouri Botanical Garden* 16: 411-480.
- Chio, R. E. (1993). Nuevos registros del genero *Pholiota* (Fungi, Basidiomycotina, Agaricales) en Mexico. *Revista Mexicana de Micologia* 8: 63-70.
- Chiu, S. W. & Moore, D. (1990). Development of the basidiome of *Volvariella bombycina*. *Mycological Research* 94: 327-337.

- Chiu, S. W. & Moore, D. (1993). Cell form, function and lineage in the hymenia of *Coprinus cinereus* and *Volvariella bombycina*. *Mycological Research* 97: 221-226. .
- Christensen, M. & Noordeloos, M. E. (1999). Notulae ad floram agaricinam neerlandicam - XXXVI: *Tricholoma*. *Persoonia* 17: 295-317.
- Cibula, W. G. & Weber, N. S. (1996). *Hygrocybe andersonii* a new psammophilus *Hygrocybe* from Horn Island, a Mississippi barrier island. *Mycologia* 88: 544-546.
- Clark, S. (2002, 2007). Trial field key to selected species of *Clitocybe* in the Pacific Northwest. Retrieved April 2, 2008 from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Clitoc.rtf>
- Clemencon, H. (1982). Type studies and typifications in *Lyophyllum* (Agaricales). I. Staining species. *Mycotaxon* 15: 67-94.
- Clemencon, H. & A. H. Smith (1983). New species of *Lyophyllum* (Agaricales) from North America and a key to the known staining species. *Mycotaxon* 18: 379-437.
- Cochran, K. W. & Cochran, M. W. (1978). *Clitocybe clavipes*: Antabuse-like reaction to alcohol. *Mycologia* 70: 1124-1126.
- Coetzee, M. P. A. et al. (2000). Geographical diversity of *Armillaria mellea* s. s. based on phylogenetic analysis. *Mycologia* 92: 105-113.
- Coker, W. C. (1918). The Lactarias of North Carolina. *Journal of the Elisha Mitchell Scientific Society* 34: 1-61.
- Coker, W. C. & J. N. Couch (1928). The Gasteromycetes of the eastern United States and Canada. North Carolina: University of North Carolina Press (Dover reprint, 1974).
- Coker, W. C. and Beers, A. H. (1943). *The boleti of North Carolina*. New York: Dover. 96 pp. (1971 reprint.)
- Cole, E. T. (1910). *Guide to the mushrooms*. Worcester, MA: Chas. K. Reed. 206 pp.
- Comandini, O., Haug, I., Rinaldi, A. C. & Kuyper, T. W. (2004). Uniting *Tricholoma sulphureum* and *T. bufonium*. *Mycological Research* 108: 1162-1171.
- Conde, L. F. & Wolf, F. A. (1972). A large sporophore of *Hericium erinaceus*. *Mycologia* 64: 1187-1189.
- Corner, E. J. H. (1966). *A monograph of cantharelloid fungi*. London: Oxford UP. 255 pp.
- Corner, E. J. H. (1966). Species of *Ramaria* (Clavariaceae) without clamps. *Transactions of the British Mycological Society* 49: 101-113.
- Coulter, E. (1998). Trial field key to the Pezizaceae in the Pacific Northwest. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Pezizc.htm>
- Cox, D. E. (1976). A new homobasidiomycete with anomalous basidia. *Mycologia* 68: 481-510.
- Cripps, C. L. & Miller, O. K. Jr. (1994). A new *Cortinarius* from a mature aspen stand in Montana. *Mycotaxon* 50: 315-321.
- Cripps, C. L. (1997). The genus *Inocybe* in Montana aspen stands. *Mycologia* 89: 670-688.

- Cripps, C. & Miller, O. K. Jr. (1993). Ectomycorrhizal fungi associated with aspen on three sites in the north-central Rocky Mountains. *Canadian Journal of Botany* 71: 1414-1420.
- Czederpiltz, D. L. L., Volk, T. J., & Burdsall, H.H. Jr. (2001). Field observations and inoculation experiments to determine the nature of the carpophoroids associated with *Entoloma abortivum* and *Armillaria*. *Mycologia* 93: 841-851.
- Dahlman, M. et al. (2000). Molecular systematics of *Craterellus*: Cladistic analysis of nuclear LSU rDNA sequence data. *Mycological Research* 104: 388-394.
- Dahlstrom, J. L. et al. (2000). Mycorrhiza-like interaction by *Morchella* with species of the Pinaceae in pure culture synthesis. *Mycorrhiza* 9: 279-285.
- Dalgleish, H. J. & K. M. Jacobson (2005). A first assessment of genetic variation among *Morchella esculenta* (morel) populations. *Journal of Heredity* 96: 396-403.
- Deering, R. et al. (2001). Airflow patterns around mushrooms and their relationship to spore dispersal. *Mycologia* 93: 732-736.
- Demoulin, V. (1989). The typification of *Boletus*, *Suillus* and *Leccinum* (Fungi). *Taxon* 38: 83-87.
- Den Bakker, H. C., G. C. Zuccarello, T. W. Kuyper & M. E. Noordeloos (2004). Evolution and host specificity in the ectomycorrhizal genus *Leccinum*. *New Phytologist* 163: 201-215.
- Den Bakker, H. C., B. Gravendeel & T. W. Kuyper (2004). An ITS phylogeny of *Leccinum* and an analysis of the evolution of minisatellite-like sequences within ITS1. *Mycologia* 96: 102-118.
- Den Bakker, H. C. & M. E. Noordeloos (2005). A revision of European species of *Leccinum* Gray and notes on extralimital species. *Persoonia* 18: 511-587.
- Den Baker, H. C., G. C. Zuccarello, Th. W. Kuyper & M. E. Noordeloos (2007). Phylogeographic patterns in *Leccinum* sect. *Scabra* and the status of the arctic-alpine species *L. rotundifoliae*. *Mycological Research* 111: 663-672.
- Denison, E. & Palmer, B. (1994). *Missouri's Oaks and Hickories*. Missouri: Conservation Commission of the State of Missouri. 23 pp.
- Denison, W. C. (1959). Some species of the genus *Scutellinia*. *Mycologia* 51: 605-635.
- Denison, W. C. (1964). The genus *Cheilymenia* in North America. *Mycologia* 56: 718-737.
- Dennis, R. W. G. (1968). *British Ascomycetes*. Stuttgart: J. Cramer. 455 pp.
- Desjardin, D. E. (1985). New marasmioid fungi from California. *Mycologia* 77: 894-902.
- Desjardin, D. E. (1987). *The Agaricales (Gilled Fungi) of California. 7. Tricholomataceae I. Marasmioid Fungi: the Genera Baeospora, Crinipellis, Marasmiellus, Marasmius, Micromphale, and Strobilurus*. Eureka, CA: Mad River Press. 99 pp.
- Desjardin, D. E. (1991). Studies on *Marasmius* from eastern North America. IV. Additions to Sect. *Sicci*. *Mycologia* 83: 30-39.
- Desjardin, D. E. (1997). A synopsis of *Marasmiellus* in the southern Appalachian Mountains. *Mycotaxon* 65: 237-261.
- Desjardin, D. E., R. E. Halling & D. E. Hemmes (1999). Agaricales of the Hawaiian Islands. 5. The genera *Rhodocollybia* and *Gymnopus*. *Mycologia* 91: 166-176.

- Desjardin, D. E. (2003). A unique ballistosporic hypogeous sequestrate *Lactarius* from California. *Mycologia* 95: 148-155.
- Desjardin, D. E. & Bessette, A. E. (1997). A new *Mycena* from New York. *Mycotaxon* 62: 299-303.
- Desjardin, D. E. & Petersen, R. H. (1989). Studies on *Marasmius* from eastern North America. II. New species. *Mycotaxon* 34: 71-92.
- Desjardin, D. E. et al. (1997). *Gymnopus villosipes*—a common collybioid agaric from California. *Mycotaxon* 64: 141-147.
- Desjardin, D. E. et al. (1999). Agaricales of the Hawaiian Islands. 5. The genera *Rhodocollybia* and *Gymnopus*. *Mycologia* 91: 166-176.
- Desjardin, D. E. (2000). *Strobilurus diminutivus*: A new species from montane California, USA.. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 137-142.
- Dettman, J. R. & Kamp, B. J. van der. (2001). The population structure of *Armillaria ostoyae* and *Armillaria sinapina* in the central interior of British Columbia. *Canadian Journal of Botany* 79: 600-611.
- Dick, E. A. & W. H. Snell (1965). Notes on boletes. XV. *Mycologia* 57: 448-458.
- Didukh, M. et al. (2005). Notes on *Agaricus* section *Duploannulati* using molecular and morphological data. *Mycological Research* 109: 729-740.
- Dissing, H. & Lange, M. (1967). Notes on the genus *Helvella* in North America. *Mycologia* 59: 349-360.
- Dissing, H. & Pfister, D. H. (1981). *Scabropezia*, a new genus of Pezizaceae (Pezizales). *Nordic Journal of Botany* 1: 102-108.
- Dixon, J. R. (1975). *Chlorosplenium* and its segregates. II. The genera *Chlorociboria* and *Chloencoelia*. *Mycotaxon* 1: 193-237.
- Dodd, J. L. (1972). The genus *Clavicornia*. *Mycologia* 64: 737-773.
- Doyle, M. F. & Sundberg, W. J. (1989). The taxonomy, ecology, and distribution of *Marasmius* (Agaricales, Tricholomataceae) in Illinois. *Transactions of the Illinois Academy of Science* 82: 109-120.
- Drehmel, D., Moncalvo, J. & Vilgalys, R. (1999). Molecular phylogeny of *Amanita* based on large-subunit ribosomal DNA sequences: implications for taxonomy and character evolution. *Mycologia* 91: 610-618.
- Dring, D. M. (1964). Gasteromycetes of West Tropical Africa. *Mycological Papers* 98: 1-59.
- Dring, D. M. (1980). Contributions toward a rational arrangement of the Clathraceae. *Kew Bulletin* 35: 1-96.
- Duchesne, L. C. & Weber, M. G. (1993). High incidence of the edible morel *Morchella conica* in a jack pine, *Pinus banksiana*, forest following prescribed burning. *The Canadian Field-Naturalist* 107: 114-116.
- Dunham, S. M. et al. (2003). Analysis of nrDNA sequences and microsatellite allele frequencies reveals a cryptic chanterelle species *Cantharellus cascadiensis* sp. nov. from the American Pacific Northwest. *Mycological Research* 107: 1163-1177.

- Elliott, M. E. & M. Kaufert (1974). *Peziza badia* and *Peziza badio-confusa*. *Canadian Journal of Botany* 52: 467-472.
- Esquivel, A. M. et al. (2003). Traditional knowledge about mushrooms in a Nahua community in the state of Tlaxcala, Mexico. *Mycologia* 95: 793-806.
- Esser, K. & Lemke, P. A. (2001). *Systematics and evolution: Part B*. (From the series *The Mycota: A comprehensive treatise on fungi as experimental systems for basic and applied research*; Volume VII.) Germany: Springer. 245 pp.
- Evenson, V. S. (1997). *Mushrooms of Colorado and the southern Rocky Mountains*. Denver: Denver Botanic Press. 207 pp.
- Eyssartier, G. & M. E. Noordeloos (2002). *Entoloma brunneoserrulatum*, spec. nova. *Ost. Zeitschr. F. Pilzk.* 11: 185-189.
- Farnet, A. M. et al. (1999). Genotypic variations among isolates of *Marasmius quercophilus*, a white-rot fungus isolated from evergreen oak litter. *Canadian Journal of Botany* 77: 884-890.
- Farr, E. R., O. K. Miller Jr. & D. F. Farr (1977). Biosystematic studies in the genus *Pholiota*, stirps *Adiposa*. *Canadian Journal of Botany* 55: 1167-1180.
- Fatto, R. M. (1996). *Russula subalbidula* - A southern species. *Mycotaxon* 59: 33-35.
- Fatto, R. M. & Bessette, A. E. (1996). A new species of *Callistosporium*. *Mycotaxon* 60: 125-128.
- Fatto, R. M. (1999). Three new species of *Russula*. *Mycotaxon* 70: 167-175.
- Fatto, R. M. (2002). Some *Russulas* of the section *Urentinae*. *Mycotaxon* 84: 229-244.
- Fay, M., Scates, K. & Ramsey, R. (1981/2003). Trial field key to species of *Nidulariaceae* in the Pacific Northwest. Retrieved April 7, 2006 from the Pacific Northwest Key Council Web site: <http://www.svims.ca/council/Nidula.htm>
- Feibelman, T. P. et al. (1996). *Cantharellus tabernensis*: A new species from the southeastern United States. *Mycologia* 88: 295-301.
- Feibelman, T. P. et al. (1997). Phylogenetic relationships within the *Cantharellaceae* inferred from sequence analysis of the nuclear large subunit rDNA. *Mycological Research* 101: 1423-1430.
- Fine, G. A. (1998). *Morel tales: The culture of mushrooming*. Cambridge: Harvard UP. 324 pp.
- Flynn, T. & Miller, O. K. Jr. (1990). Biosystematics of *Agrocybe molesta* and sibling species allied to *Agrocybe praecox* in North America and Europe. *Mycological Research* 94: 1103-1110.
- Fox, R. T. V. & Sanson, S. (1996). Lethal effects of an electrical field on *Armillaria mellea* in culture. *Mycological Research* 100: 318-320.
- Freeman, A. E. H. (1979). *Agaricus* in North America: Type studies. *Mycotaxon* 8: 1-49.
- Franco-Molano, A. E. (1993). Studies on *Cystoderma*: A new species and a new combination. *Mycologia* 85: 672-676.
- Freeman, A. E. H. (1979). *Agaricus* in the southeastern United States. *Mycotaxon* 8: 50-118.
- Fries, E. M. (1822). *Morchella, Helvella*. *Systema Mycologicum*, Vol. II (Reprint: Confederatio Europaea Mycologiae Mediterraneensis A. E., 1994): 5-18.
- Fries, E. (1849). *Discomycetes*. In *Summa Vegetabilium Scandinaviae, Sectio posterior*. Sweden:

Holmiae & Lipsiae. 346-354.

Fries, N. (1985). Intersterility groups in *Paxillus involutus*. *Mycotaxon* 24: 403-409.

Froslev, T. G., T. S. Jeppesen & T. Laessoe. (2006). Seven new calochroid and fulvoid species of *Cortinarius*. *Mycological Research* 110: 1046-1058.

Frost, C. C. (1874). Catalogue of boleti of New England, with descriptions of new species. *Bulletin of the Buffalo Society of Natural Science* 2: 100-105.

Fu, S. Z., Q. B. Wang & Y. J. Yao (2006). An annotated checklist of *Leccinum* in China. *Mycotaxon* 96: 47-50.

Funder, S. (1968). *Practical mycology: Manual for identification of fungi*. New York: Hafner. 146 pp.

Galland, M. C. Kemp, R. F. O. & Jurand, M. K. (1979). The species problem in the *Psathyrella candolleana* complex. *Mycotaxon* 8: 329-332.

Garnica, S. et al. (2003). Phylogenetic relationships of European *Phlegmacium* species (*Cortinarius*, Agaricales). *Mycologia* 95: 1155-1170.

Gerhardt, E. (1996). Taxonomische Revision der Gattungen *Panaeolus* und *Panaeolina* (Fungi, Agaricales, Coprinaceae). *Bibliotheca Botanica* 147: 1-149.

Gessner, R. V. et al. (1987). Allelic variation and segregation in *Morchella deliciosa* and *M. esculenta*. *Mycologia* 79: 683-687.

Gessner, R. V. (1995). Genetics and systematics of North American populations of *Morchella*. *Canadian Journal of Botany* 73 (Suppl. 1): S967-S971.

Giachini, A. J. (2004). Systematics, phylogeny, and ecology of *Gomphus sensu lato*. Doctoral dissertation, Oregon State University.

Gibson, J. L. & Kimbrough, J. W. (1988). Ultrastructural observations on Helvellaceae (Pezizales). II Ascosporeogenesis of *Gyromitra esculenta*. *Canadian Journal of Botany* 66: 1743-1749.

Gibson, W. H. (1895). Our edible toadstools and mushrooms. New York: Harper & Brothers. 337 pp.

Gilbertson, R. L. & Burdsall, H. H. Jr. (1972). *Phellinus torulosus* in North America. *Mycologia* 64: 1258-1269.

Gilbertson, R. L. (1976). The genus *Inonotus* (Aphyllophorales: Hymenochaetaceae) in Arizona. *Memoirs of the New York Botanical Garden* 28: 67-85.

Gilbertson, R. L. (1981). North American wood-rotting fungi that cause brown rots. *Mycotaxon* 12: 372-416.

Gilbertson, R. L. & Ryvarden, L. (1986). *North American Polypores*. Volume 1. Oslo: Fungiflora. 433 pp.

Gilbertson, R. L. & Ryvarden, L. (1987). *North American Polypores*. Volume 2. Oslo: Fungiflora. 450 pp.

Gilbertson, R. L. (1980). Wood-rotting fungi of North America. *Mycologia* 72: 1-49.

Gilkey, H. M. (1954). Order Tuberales. *North American Flora* 2: 1-36.

Gilkey, H. M. (1961). New species and revisions in the order Tuberales. *Mycologia* 53: 215-220.

- Gilliam, M. S. (1975). New North American species of *Marasmius*. *Mycologia* 67: 817-844.
- Gilliam, M. S. (1975). *Marasmius* section Chordales in the Northeastern United States and Canada. *Contributions from the University of Michigan Herbarium* 11: 25-40.
- Gilliam, M. S. (1976). The genus *Marasmius* in the northeastern United States and adjacent Canada. *Mycotaxon* 4: 1-144.
- Gillman, L. S. & Miller, O. K. (1977). A study of the boreal, alpine, and arctic species of *Melanoleuca*. *Mycologia* 69: 927-951.
- Ginns, J. (1985). *Hericium* in North America: Cultural characteristics and mating behavior. *Canadian Journal of Botany* 63: 1551-1563.
- Glick, P. G. (1979). *The mushroom trailguide*. New York: Holt, Rinehart and Winston. 247 pp.
- Goldway, M. et al. (2000). *Morchella conica* exhibiting a long fruiting season. *Mycological Research* 104: 1000-1004.
- Gonzalez, P. & LaBarere, J. (1998). Sequence and secondary structure of the mitochondrial small-subunit rRNA V4, V6, and V9 domains reveal highly species-specific variations within the genus *Agrocybe*. *Applied and Environmental Microbiology* 64: 4149-4160.
- Gonzalez-Velazquez, A. & Valenzuela, R. (1995). A new species of *Boletellus* (Basidiomycotina, Agaricales: Boletaceae) from Mexico. *Mycotaxon* 55: 399-404.
- Goos, R. D. & Shoop, C. R. (1980). A case of mushroom poisoning caused by *Tricholomopsis platyphylla*. *Mycologia* 72: 433-435.
- Gordon, S. A. & Petersen, R. H. (1997). Intraspecific variation among geographically separated collections of *Marasmius androsaceus*. *Mycological Research* 101: 365-371.
- Gordon, S. A. & Petersen, R. H. (1998). Intraspecific variation among geographically separated collections of *Marasmius scorodonius*. *Mycotaxon* 69: 453-466.
- Gordon, S. A. et al. (1994). Mating systems in *Marasmius*: Additional evidence to support sectional consistency. *Mycological Research* 98: 200-204.
- Graham, V. O. (1944). *Mushrooms of the Great Lakes region*. Chicago: The Chicago Academy of Sciences. 390 pp.
- Grand, L. F. & Smith, A. H. (1971). A previously unrecognized southern species of *Boletus*. *Mycologia* 63: 114-117.
- Grand, L. F. & Smith, A. H. (1971). A new species of *Boletus*, section *Luridi*, from North Carolina. *Mycologia* 63: 884-888.
- Grand, L. F. & Lodge, D. J. (1978). Occurrence of *Boletus piedmontensis* in North Carolina and Georgia. *Mycologia* 70: 1267-1268.
- Grand, L. F. & Vernia, C. S. (2004). Biogeography and hosts of poroid wood decay fungi in North Carolina: species of *Phellinus* and *Schizopora*. *Mycotaxon* 89: 181-184.
- Gregory, D. C. (2007). Key to the species of *Clitocybe*, *Ampulloclitocybe*, and *Infundibulicybe*. Retrieved from the *Bay Area Mycological Society* Web site.
- Grilli, E. (2000). Studies on the genus *Hebeloma*. Bresadola's conception of *Hebeloma elatum*

(Batsch: Fr.) Gillet. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 231-240.

Grove, J. W. & Hoare, S. C. (1953). The Helvellaceae of the Ottawa district. *The Canadian Field-Naturalist* 67: 96-102.

Grubisha, L. C. et al. (2001). Biology of the ectomycorrhizal genus *Rhizopogon*. V. Phylogenetic relationships in the Boletales inferred from LSU rDNA sequences. *Mycologia* 93: 82-89.

Grund, D. W. & Stuntz, D. E. (1968). Nova Scotian *Inocybes*. I. *Mycologia* 60: 406-425.

Grund, D. W. & Stuntz, D. E. (1970). Nova Scotian *Inocybes*. II. *Mycologia* 62: 925-939.

Grund, D. W. & Stuntz, D. E. (1975). Nova Scotian *Inocybes*. III. *Mycologia* 67: 19-31.

Grund, D. W. & Harrison, K. A. (1976). *Nova Scotian Boletes*. Germany: J. Cramer. 283 pp.

Grund, D. W. & Stuntz, D. E. (1977). Nova Scotian *Inocybes*. IV. *Mycologia* 69: 392-408.

Grund, D. W. & Stuntz, D. E. (1980). Nova Scotian *Inocybes*. V. *Mycologia* 72: 670-688.

Grund, D. W. & Stuntz, D. E. (1981). Nova Scotian *Inocybes*. VI. *Mycologia* 73: 655-674.

Grund, D. W. & Stuntz, D. E. (1983). Nova Scotian *Inocybes*. VII. *Mycologia* 75: 257-270.

Grund, D. W. & Stuntz, D. E. (1984). Nova Scotian *Inocybes*. VIII. *Mycologia* 76: 733-740.

Gubitz, C. (2002). To the knowledge of the ring-less, yellowing species of *Tricholoma*, especially of a white taxon (complex of *Tricholoma argyraceum-scalpturatum*). *Zeitschrift fur Mykologie* 68: 182-198.

Gulden, G. et al. (2001). DNA studies in the *Galerina marginata* complex. *Mycological Research* 105: 432-440.

Guzman, G. (1970). Monografia del genero *Scleroderma* Pers. emend. Fr. (Fungi - Basidiomycetes). *Darwiniana* 16: 233-401.

Guzman, G. (1978). A new species of *Panaeolus* from South America. *Mycotaxon* 7: 221-224.

Guzman, G. (1980). Three new sections in the genus *Naematoloma* and a description of a new tropical species. *Mycotaxon* 12: 235-240.

Guzman, G. (1981). Distribution of *Amanita nauseosa*. *Mycotaxon* 12: 522-524.

Guzman, G., L. Montoya & V. M. Bandala (1990). Las especies y formas de Dictyophora (Fungi, Basidiomycetes, Phallales) en Mexico y observaciones sobre su distribucion en america latina. *Acta Botanica Mexicana* 9: 1-11.

Guzman, G. et al. (1994). Studies in the genus *Pleurotus*, III. The varieties of *P. ostreatus*-complex based in interbreeding strains and in the study of basidiomata obtained in culture. *Mycotaxon* 50: 365-378.

Guzman, G. & Tapia, F. (1998). The known morels in Mexico, a description of a new blushing species, *Morchella rufobrunnea*, and new data on *M. guatemalensis*. *Mycologia* 90: 705-714.

Guzman, G. & Ovrebo, C. L. (2000). New observations on sclerodermataceous fungi. *Mycologia* 92: 174-179.

Guzman-Davalos, L. & G. Guzman (1986). *Hongos del estado de Jalisco, VII. El genero Gymnopilus*

(*Cortinariaceae*). *Revista Mexicana de Micología* 2: 157-185.

Guzman-Davalos, L. & G. Guzman (1991). Additions to the genus *Gymnopilus* (Agaricales, Cortinariaceae) from Mexico. *Mycotaxon* 41: 43-56.

Guzman-Davalos, L. (1994). New species of *Gymnopilus* (Agaricales, Cortinariaceae) from Mexico. *Mycotaxon* 50: 333-348.

Guzman-Davalos, L. & G. Guzman (1995). Toward a monograph of the genus *Gymnopilus* (Cortinariaceae) in Mexico. *Documents Mycologiques* 25: 197-212.

Guzman-Davalos (1995). Further investigations on *Gymnopilus* (Agaricales, Cortinariaceae). A new section and a new species from Mexico. *Mycotaxon* 54: 117-124.

Guzman-Davalos, L. (1996). Primer registro de *Gymnopilus* (Agaricales, Cortinariaceae) de Guatemala y un analisis de las especies centroamericanas y del Caribe. *Revista Mexicana de Micología* 12: 89-96.

Guzman-Davalos, L. (1996). New records of the genus *Gymnopilus* (Agaricales, Cortinariaceae) from Mexico. *Mycotaxon* 59: 61-78.

Guzman-Davalos, L. & Ovrebo, C. L. (2001). Some species of *Gymnopilus* from Costa Rica and Panama. *Mycologia* 93: 398-404.

Guzman-Davalos, L. et al. (2003). Traditional infrageneric classification of *Gymnopilus* is not supported by ribosomal DNA sequence data. *Mycologia* 95\*: 1204-1214.

Gyurko, P. (1978). Physiological investigations of ectomycorrhizal fungi. *Mushroom Science X (1). Proceedings of the Tenth International Congress on the Science and Cultivation of Edible Fungi*. 919-925.

Hahn, C. & R. Agerer (1999). Studien zum *Paxillus involutus* Formenkreis. *Nova Hedwigia* 69: 241-310.

Hahn, C. & R. Agerer (1999). Studien zur Systematik der Paxillaceae (Boletales, Basidiomycota). *Sendtnera* 6: 115-133.

Hale, M. E. (1969). *How to know the lichens*. Dubuque, IA: Wm. C. Brown. 226 pp.

Hallen, H. & T. Volk (2003). *Gastrocybe lateritia*, the bean sprout fungus. Retrieved from the *Tom Volk's Fungi* Web site: [http://botit.botany.wisc.edu/toms\\_fungi/sep2003.html](http://botit.botany.wisc.edu/toms_fungi/sep2003.html)

Hallen, H., R. Watling & G. Adams (2003). Taxonomy and toxicity of *Conocybe lactea* and related species. *Mycological Research* 107: 969-979.

Hallen, H.E., H. Luo, J. S. Scott-Craig & J. D. Walton (2007). Gene family encoding the major toxins of lethal *Amanita* mushrooms. *Proceedings of the National Academy of Science* 104: 19097-19101.

Halling, R. E. (1977). California boletes VI. Some unreported species from the Sierra Nevada of California. *Mycologia* 69: 206-211.

Halling, R. E. (1979). Notes on *Collybia*. I. *Collybia alkalivirens*. *Mycotaxon* 8: 453-458.

Halling, R. E. (1983). *The genus Collybia (Agaricales) in the northeastern United States and adjacent Canada*. Germany: J. Cramer. 148 pp.

Halling, R. E. (1983). Boletes described by Charles C. Frost. *Mycologia* 75: 70-92.

- Halling, R. E. (1983). A synopsis of *Marasmius* Section *Globulares* (Tricholomataceae) in the United States. *Brittonia* 35: 317-326.
- Halling, R. E. & T. J. Baroni (1985). *Rhodocybe pulchrisperma* (Entolomataceae): A new species from North America. *Brittonia* 37: 182-185.
- Halling, R. E. (1989). Notes on *Collybia* III. Three neotropical species of Subg. *Rhodocollybia*. *Mycologia* 81: 870-875.
- Halling, R. E. (1996). Notes on *Collybia* V. *Gymnopus* section *Levipedes* in tropical South America, with comments on *Collybia*. *Brittonia* 48: 487-494.
- Halling, R. E. & E. E. Both (1998). Generic affinity of *Boletus separans*. *Bulletin of the Buffalo Society of Natural Sciences* 36: 239-243.
- Halling, R. E. & G. M. Mueller (1999). A new species and a new record for the genus *Xerula* (Agaricales) from Costa Rica. *Mycotaxon* 71: 105-110.
- Halling, R. E. & Mueller, G. M. (1999). New boletes from Costa Rica. *Mycologia* 91: 893-899.
- Halling, R. E. et al. (1999). A new *Phylloporus* (Basidiomycetes, Boletaceae) with a key to species in Colombia and Costa Rica. *Mycotaxon* 73: 63-67.
- Halling, R. E. (2001). Ectomycorrhizae: Co-evolution, significance, and biogeography. *Annals of the Missouri Botanical Garden* 88: 5-13.
- Halling, R. E. & G. M. Mueller (2003). *Leccinum* (Boletaceae) in Costa Rica. *Mycologia* 95: 488-499.
- Halling, R. E., M. Mata & G. M. Mueller (2004). Three new boletes for Costa Rica. In *Fungi and Forest Ecosystems: Systematics, Diversity, and Ecology.*, ed. C. Cripps. New York: The New York Botanical Garden. 141-147.
- Halling, R. E. & M. Mata (2004). *Boletus flavoruber*: Un nouveau bolet du Costa Rica. *Bull. Soc. Mycol. Fr.* 120: 257-262.
- Halling, R. E. & G. M. Mueller (2005). *Common Mushrooms of the Talamanca Mountains, Costa Rica. Memoirs of the New York Botanical Garden* 90: 1-197.
- Hansen, K. et al. (2001). Phylogenetics of the Pezizaceae, with an emphasis on *Peziza*. *Mycologia* 93: 958-990.
- Hansen, K. & D. H. Pfister (2006). Systematics of Pezizomycetes--the operculate discomycetes. *Mycologia* 98: 1029-1040.
- Hansen, L. & Knudsen, H., eds. (1992). *Nordic macromycetes Vol. 2: Polyporales, Boletales, Agaricales, Russulales*. Copenhagen: Nordsvamp. 474 pp.
- Harbin, M., & Volk, T. J. (1999). The relationship of *Morchella* with plant roots. Abstract #1601: XVI International Botanical Congress, St. Louis, Missouri, USA. p. 59.
- Harmaja, H. (1969). A neglected species, *Gyromitra ambigua* (Karst.) Harmaja, n. comb., and *G. infula* s. str. in Fennoscandia. *Karstenia* 9: 13-19.
- Harmaja, H. (1973). Amendments of the limits of the genera *Gyromitra* and *Pseudorhizina*, with the description of a new species, *Gyromitra montana*. *Karstenia* 13: 48-58.
- Harmaja, H. (1976). New species and combinations in the genera *Gyromitra*, *Helvella*, and *Otidea*. *Karstenia* 15: 29-32.

- Harmaja, H. (1979). Studies in the genus *Cystoderma*. *Karstenia* 19: 25-29.
- Harrington, F. A. (1990). *Sarcosypha* in North America (Pezizales, Sarcoscyphaceae). *Mycotaxon* 38: 417-458.
- Harrington, F. A. (1998). Relationships among *Sarcosypha* species: Evidence from molecular and morphological characters. *Mycologia* 90: 235-243.
- Harrington, F. A. et al. (1999). Phylogenetic studies within the Pezizales. I. 18S rRNA sequence data and classification. *Mycologia* 91: 41-50.
- Harrison, K. A. (1973). The genus *Hericium* in North America. *The Michigan Botanist* 12:177-194.
- Harrison, K. A. & Grund, D. W. (1977). Nova Scotian fleshy fungi: A new albino variant of *Hypomyces lactifluorum* (Schw. Ex Fr.) Tulasne. *Proceedings of the Nova Scotian Institute of Science* 28: 87-91.
- Heilmann-Clausen, J., A. Verbeke & J. Vesterholt. (1998/2000). The genus *Lactarius*. (*Fungi of Northern Europe, Vol. 2*). Denmark: The Danish Mycological Society. 287 pp.
- Heluta, V. P. (2001). *Gyromitra slonevskii* Heluta: A new Discomycete from Ukraine. *Ukrayins'ki Botanichny Zhurnal* 58: 83-85.
- Henry, L. K. (1949). A review of the Elvellaceae (Fungi) of western Pennsylvania. *Annals of the Carnegie Museum* 31: 281-289.
- Hervey, A. et al. (1978). Cultural studies of single ascospore isolates of *Morchella esculenta*. *Mycologia* 70: 1269-1274.
- Hesler, L. R. (1960). *Mushrooms of the Great Smokies: A field guide to some mushrooms and their relatives*. Knoxville: U Tennessee P. 289 pp.
- Hesler, L. R. (1960). A study of *Russula* types. *Memoirs of the Torrey Botanical Club* 21. 59 p.
- Hesler, L. R. (1961). A study of Julius Schaeffer's russulas. *Lloydia* 24: 182-198.
- Hesler, L. R. (1961). A study of *Russula* types, II. *Mycologia* 53: 605-625.
- Hesler, L. R. (1963). A study of *Rhodophyllus* types. *Brittonia* 15: 324-366.
- Hesler, L. R. and Smith, A. H. (1963). *North American Species of Hygrophorus*. Knoxville: U Tennessee P. 416 pp.
- Hesler, L. R. & Smith, A. H. (1965). *North American species of Crepidotus*. New York: Hafner. 187 pp.
- Hesler, L. R. (1967). *Entoloma in southeastern North America*. Germany: Cramer. 245 pp.
- Hesler, L. R. (1969). *North American species of Gymnopilus*. New York: Hafner. 117 pp.
- Hesler, L. R. (1974). Name corrections in *Entoloma*. *Mycologia* 66: 715-717.
- Hesler, L. R. and Smith, A. H. (1979). *North American species of Lactarius*. Ann Arbor: U of Michigan P. 841 pp.
- Hibbett, D. S. & Donoghue, M. J. (1994). Progress toward a phylogenetic classification of the Polyporaceae through parsimony analysis of mitochondrial ribosomal DNA sequences. *Canadian Journal of Botany* 73: S853-S861.

- Hibbett, D. S. & Donoghue, M. J. (1998). Integrating phylogenetic analysis and classification in fungi. *Mycologia* 90: 347-356.
- Hibbett, D. S. et al. (1997). Fossil mushrooms from Miocene and Cretaceous ambers and the evolution of Homobasidiomycetes. *American Journal of Botany* 84: 981-991.
- Hibbett, D. S. et al. (1997). Evolution of gilled mushrooms and puffballs inferred from ribosomal DNA sequences. *Proceedings of the National Academy of Sciences* 94: 12002-12006.
- Hibbett, D. S. et al. (2003). Another fossil agaric from Dominican amber. *Mycologia* 95: 685-687.
- Hibbett, D. S. et al. (2007). A higher-level phylogenetic classification for the *Fungi*. *Mycological Research* 111: 509-547.
- Hobbie, E. A., N. S. Weber & J. M. Trappe (2001). Mycorrhizal vs. saprotrophic status of fungi: the isotopic evidence. *New Phytologist* 150:601-610.
- Hoiland, K. (1990). The genus *Gymnopilus* in Norway. *Mycotaxon* 39: 257-279.
- Hoiland, K. & Holst-Jensen, A. (2000). *Cortinarius* phylogeny and possible taxonomic implications of ITS rDNA sequences. *Mycologia* 92: 694-710.
- Holec, J. (1998). The taxonomy of *Pholiota aurivella* and *Pholiota adiposa*—a return to Batsch and Fries. *Czech Mycology* 50: 201-222.
- Holm, L. (1995). Elias Fries—Mycologist. *Mycologist* 9: 62-66.
- Holst-Jensen, A. et al. (1997). Nuclear rDNA phylogeny of the Sclerotiniaceae. *Mycologia* 89: 885-899.
- Homola, R. L. (1972). Section *Celluloderma* of the genus *Pluteus* in North America. *Mycologia* 64: 1211-1247.
- Homola, R. L. (1975). A new *Russula* of the subsection *Nigricantes* from northeastern North America. *Mycologia* 67: 428-434.
- Hopple, J. S. & Vilgalys, R. (1994). Phylogenetic relationships among coprinoid taxa and allies based on data from restriction site mapping of nuclear DNA. *Mycologia* 86: 96-107.
- Hopple, J. S. & Vilgalys, R. (1999). Phylogenetic relationships in the mushroom genus *Coprinus* and dark-spored allies based on sequence data from the nuclear gene coding for large ribosomal subunit RNA: Divergent domains, outgroups, and monophyly. *Molecular Phylogenetics and Evolution* 13: 1-19.
- Horak, E., D. E. Desjardin & D. E. Hemmes (1996). Agaricales of the Hawaiian Islands. 3: The genus *Galerina* and selected other brown-spored agarics. *Mycologia* 88: 278-294.
- Horn, B., Kay, R. & Abel, D. (1993). *A Guide to Kansas Mushrooms*. Lawrence: University Press of Kansas. 297 pp.
- Horton, T. R., T. D. Bruns & V. T. Parker (1999). Ectomycorrhizal fungi associated with *Arctostaphylos* contribute to *Pseudotsuga menziesii* establishment. *Canadian Journal of Botany* 77: 93-102.
- Horton, T. R. & Bruns, T. D. (2001). The molecular revolution in ectomycorrhizal ecology: Peeking into the black-box. *Molecular Ecology* 10: 1855-1871.
- Hosford, D., Pilz, D., Molina, R. & Amaranthus, M. (1997). *Ecology and management of the commercially harvested American matsutake mushroom*. Portland, Oregon: USDA General Technical

Report. 68 pp.

Hotson, J. W. & D. E. Stuntz (1938). The genus *Agaricus* in western Washington. *Mycologia* 30: 204-234.

Huelsenbeck, J. P. & Rannala, B. (1997). Phylogenetic methods come of age: Testing hypotheses in an evolutionary context. *Science* 276: 227-231.

Huffman, D., et al. (1989). *Mushrooms & other fungi of the midcontinental United States*. Iowa State UP. 326 pp.

Hughes, K. W. et al. (1999). Patterns of geographic speciation in the genus *Flammulina* based on sequences of the ribosomal ITS1-5.8S-ITS2 area. *Mycologia* 91: 978-986.

Hughey, B. D. (2000). Phylogeny of *Calostoma*, the gelatinous-stalked puffball, based on nuclear and mitochondrial ribosomal DNA sequences. *Mycologia* 92: 94-104.

Humpert, A. J. et al. (2001). Molecular phylogenetics of *Ramaria* and related genera: Evidence from nuclear large subunit and mitochondrial small subunit rDNA sequences. *Mycologia* 93: 465-477.

Husher, J. et al. (1999). Evaporative cooling of mushrooms. *Mycologia* 91: 351-352.

Ingold, C. T. & Zoberi, M. H. (1967). Grouping of spores in agaric spore-prints. *Mycologia* 59: 544-545.

Ingold, C. T. (1990). The ballistospore. *Mycologist* 4: 36-37.

Ingold, C. T. (1990). How did the active basidium arise? *Mycologist* 4: 149.

Ingold, C. T. (1991). *Itersonilia*. *Mycologist* 5: 35-37.

Ingold, C. T. (1992). The basidium: a spore gun of precise range. *Mycologist* 6: 111-113.

Jackson, H. A. C. & Cazort, M., eds. (1979). *Mr. Jackson's mushrooms*. Ottawa: National Gallery of Canada. 163 pp.

Jacobsson, S. (1987). On the correct interpretation of *Pholiota adiposa* and a taxonomic survey of section *Adiposae*. *Windhalia* 17: 1-17.

Jacobsson, S. (1989). Studies on *Pholiota* in culture. *Mycotaxon* 36: 95-145.

Jarosch, M. & A. Bresinsky (1999). Speciation and phylogenetic distances within *Paxillus* s. str. (Basidiomycetes, Boletales). *Plant Biology* 1: 701-706.

Jenkins, D. J. (1978). A study of *Amanita* types I. Taxa described by C. H. Peck. *Mycotaxon* 7: 23-44.

Jenkins, D. J. (1978). A study of *Amanita* types II. *A. ocreata* Peck. *Mycotaxon* 7: 371-372.

Jenkins, D. J. (1979). A study of *Amanita* types III. Taxa described by W. A. Murrill. *Mycotaxon* 10: 175-200.

Jenkins, D. J. & Vinopal, J. (1979). A new *Amanita* from Florida. *Mycotaxon* 8: 177-180.

Jenkins, D. J. (1979). A new species of *Amanita*. *Mycotaxon* 8: 174-176.

Jenkins, D. J. (1979). A new *Amanita* from Florida. *Mycotaxon* 8: 177-180.

Jenkins, D. J. (1980). A new species of *Amanita*. *Mycotaxon* 10: 296-298.

- Jenkins, D. J. (1981). A new species of *Amanita*. *Mycotaxon* 13: 112-114.
- Jenkins, D. J. (1982). A new species of *Amanita*. *Mycotaxon* 14: 233-236.
- Jenkins, D. J. (1983). A new species of *Amanita*. *Mycotaxon* 16: 414-416.
- Jenkins, D. J. (1984). A new species of *Amanita* IV. *Mycotaxon* 20: 315-317.
- Jenkins, D. J. (1985). A new species of *Amanita* VII. *Mycotaxon* 24: 283-286.
- Jenkins, D. J. (1986). *Amanita of North America*. Eureka, CA: Mad River Press. 197 pp.
- Jenkins, D. J. (1988). A new species of *Amanita* from North America: *Amanita levistriata*. *Mycotaxon* 32: 415-419.
- Johannesson, H. et al. (1999). *Sarcodon imbricatus* and *S. squamosus*—two confused species. *Mycological Research* 103: 1447-1452.
- Johannesson, H. et al. (2000). Molecular and morphological investigation of *Daldinia* in northern Europe. *Mycological Research* 104: 275-280.
- Johnson, J. & Vilgalys, R. (1998). Phylogenetic systematics of *Lepiota sensu lato* based on nuclear large subunit rDNA evidence. *Mycologia* 90: 971-979.
- Johnson, J. (1999). Phylogenetic relationships within *Lepiota sensu lato* based on morphological and molecular data. *Mycologia* 91: 443-458.
- Johnson, J. E. & Methven, A. S. (1994). *Panus conchatus*: Cultural characters and missing data. *Mycologia* 86: 146-150.
- Jones, G. N. (1971). *Flora of Illinois*. Notre Dame, IN: U Notre Dame P. 401 pp.
- Jorgensen, P. M., S. Ryman, W. Gams & J. A. Stalpers (2001). Proposal to conserve the name *Coprinus* Pers. (Basidiomycota) with a conserved type. *Taxon* 50: 909-910.
- Ju, Y., J. D. Rogers & F. San Martin (1997). A revision of the genus *Daldinia*. *Mycotaxon* 61: 243-293.
- Jung, S. W. et al. (1993). Systematics of *Morchella esculenta* complex using enzyme-linked immunosorbent assay. *Mycologia* 85: 677-684.
- Kanouse, B. B. (1946). Some studies in the genus *Helvella*. *Papers of the Michigan Academy of Science, Arts and Letters* 32: 83-90.
- Kanouse, B. B. (1949). Studies in the genus *Otidea*. *Mycologia* 41: 660-677.
- Kanouse, B. B. (1950). A study of *Peziza bronca* Peck. *Mycologia* 42: 497-502.
- Kauffman, C.H. (1918). *The gilled mushrooms (Agaricaceae) of Michigan and the Great Lakes region*, Volumes I and II. New York: Dover. 924 pp. (1971 Reprint.)
- Kauffman, C. H. (1923). The mycological flora of the higher Rockies of Colorado. *Papers of the Michigan Academy of Science, Arts, and Letters* 1: 101-150.
- Kauffman, C. H. (1924). The genus *Lepiota* in the United States. *Papers of the Michigan Academy of Science, Arts, and Letters* 4: 311-344.
- Kauffman, C. H. (1925). The genus *Gomphidius* in the United States. *Mycologia* 17: 113-126.

- Kauffman, C. H. (1932). *Cortinarius*. *North American Flora* 10: 282-348.
- Keirle, M. R., D. E. Hemmes & D. E. Desjardin (2004). Agaricales of the Hawaiian Islands. 8. Agaricaceae: *Coprinus* and *Podaxis*; Psathyrellaceae: *Coprinopsis*, *Coprinellus*, and *Parasola*. *Fungal Diversity* 15: 33-124.
- Kellner, H., Renker, C. & Buscot, F. (2005). Species diversity within the *Morchella esculenta* group (Ascomycota: Morchellaceae) in Germany and France. *Organisms, Diversity & Evolution* 5: 101-107.
- Kellner, H., P. Luis & F. Buscot (2007). Diversity of laccase-like multicopper oxidase genes in *Morchellaceae*: identification of genes potentially involved in extracellular activities related to plant litter decay. *Microbiological Ecology* 61: 153-163.
- Kempton, P. E. & V. L. Wells (1973). Studies on the fleshy fungi of Alaska. VI. Notes on *Gyromitra*. *Mycologia* 65: 396-400.
- Kerrigan, R. W. (1979). Studies in *Agaricus* I. *Agaricus pattersonae*. *Mycologia* 71: 612-620.
- Kerrigan, R. W. (1985). Studies in *Agaricus* II: *Agaricus liliceps* re-evaluated. *Mycologia* 77: 137-141.
- Kerrigan, R. W. (1985). Studies in *Agaricus* III: New species from California. *Mycotaxon* 22: 419-434.
- Kerrigan, R. W. (1986). *The Agaricales of California 6. Agaricaceae*. Eureka, CA: Mad River Press. 62 pp.
- Kerrigan, R. W. (1989). Studies in *Agaricus* IV: New species from Colorado. *Mycotaxon* 34: 119-128.
- Kerrigan, R. W. et al. (1995). Indigenous and introduced populations of *Agaricus bisporus*, the cultivated button mushroom, in eastern and western Canada: Implications for population biology, resource management, and conservation of genetic diversity. *Canadian Journal of Botany* 73: 1925-1938.
- Kerrigan, R. W., P. Callac, J. Xu & R. Noble (1999). Population and phylogenetic structure within the *Agaricus subfloccosus* complex. *Mycological Research* 103: 1515-1523.
- Kerrigan, R. W. (2005). *Agaricus subrufescens*, a cultivated edible and medicinal mushroom, and its synonyms. *Mycologia* 97: 12-24.
- Kerrigan, R. W., P. Callac, M. P. Challen & L. A. Parra (2005). *Agaricus* section *Xanthodermatei*: a phylogenetic reconstruction with commentary on taxa. *Mycologia* 97: 1292-1315.
- Kibby, G. & Fatto, R. (1990). Keys to the species of *Russula* in northeastern North America. Somerville, NJ: Kibby-Fatto Enterprises. 70 pp.
- Kim, M-S. et al. (2000). Characterization of North American *Armillaria* species by nuclear DNA content and RFLP analysis. *Mycologia* 92: 874-883.
- Kimbrough, J. W. (1970). Current trends in the classification of Discomycetes. *Botanical Review* 36: 91-161.
- Kimbrough, J. W. (1991). Ultrastructural observations on Helvellaceae (Pezizales, Ascomycetes). V. Septal structures in *Gyromitra*. *Mycological Research* 95: 421-426.
- Kirk, P.M. et al., eds. (2001). *Ainsworth & Bisby's dictionary of the fungi*. London: Biddles. 655 pp.
- Klan, J., D. Baudisova & I. Rulfova (1989). Cultural, enzymatic and cytological studies in the genus *Pholiota*. *Mycotaxon* 36: 249-271.

- Ko, K. S. et al. (1997). Phylogenetic analysis of *Trichaptum* based on nuclear 18S, 5.8S and ITS ribosomal DNA sequences. *Mycologia* 89: 727-734.
- Ko, K. S. et al. (2001). Phylogenetic relationships of *Hapalopilus* and related genera inferred from mitochondrial small subunit ribosomal DNA sequences. *Mycologia* 93: 270-276.
- Ko, K. S., Y. W. Lim, Y. H. Kim & H. S. Jung (2001). Phylogeographic divergences of nuclear ITS sequences in *Coprinus* species *sensu lato*. *Mycological Research* 105: 1519-1526.
- Kong, A. et al. (2002). *Russula herrerae*, a new species with marginal veil from Mexico. *Mycologia* 94: 290-296.
- Korf, R. P. (1954). Discomyceteae Exsiccatae, Fasc. I. *Mycologia* 46: 837-841.
- Korf, R. P. (1960). *Jafnea*, a new genus of the Pezizaceae. *Nagaoa* 7: 3-8.
- Korf, R. P. (1972). Synoptic key to the genera of the Pezizales. *Mycologia* 64: 937-994.
- Korf, R. P. (2005). Reinventing taxonomy: a curmudgeon's view of 250 years of fungal taxonomy, the crisis in biodiversity, and the pitfalls of the phylogenetic age. *Mycotaxon* 93: 407-415.
- Kovacs, R. L. & Sundberg, W. J. (1999). *Syzygites megalocarpus* (Mucorales, Zygomycetes) in Illinois. *Transactions of the Illinois State Academy of Science* 92: 181-190.
- Kretzer, A., Y. Li, T. Szaro & T. D. Bruns (1996). Internal transcribed spacer sequences from 38 recognized species of *Suillus* *sensu lato*: Phylogenetic and taxonomic implications. *Mycologia* 88: 776-785.
- Kretzer, A. & Bruns, T. D. (1997). Molecular revisitation of the genus *Gastrosuillus*. *Mycologia* 89: 586-589.
- Kricher, J. & Morrison, G. (1988). *A field guide to eastern forests*. (Peterson Field Guides.) New York: Houghton Mifflin. 488 pp.
- Krieger, L. C. (1936). *The mushroom handbook*. New York: Dover Publications. 560 pp. (1967 reprint.)
- Krombholz, J. V. (1834). Naturgereue Abbildungen und Beschreibungen der essbaren, schadlichen und verdächtigen Schwämme. Prague: J. G. Calve. [*Morchella* (III: 1-16) and *Helvella* (III: 16-35) passages].
- Krueger, D. (2002). *Monographic studies in the genus Polyporus (Basidiomycotina)*. Ph. D. thesis, The University of Tennessee. Knoxville, TN. 165 pp.
- Kruger, D. et al. (2001). The Lycoperdales: A molecular approach to the systematics of some gasteroid mushrooms. *Mycologia* 93: 947-957.
- Kuhner, R. & H. Romagnesi (1953). *Flore analytique des champignons superieurs (agarics, bolets, chanterelles)*. Paris: Masson. 556 pp. .
- Kuo, M. (2005). *Morels*. Ann Arbor: University of Michigan Press. 205 pp.
- Kuo, M. (2007). *100 Edible Mushrooms*. Ann Arbor: University of Michigan Press. 329 pp.
- Kuo, M. (2007). Mushrooming in the age of DNA: Now comes the fun part. *Mcllvainea* 17: 43-49.
- Kuyper, Th. W. & G. Tjallingii-Beukers (1986). Notes on *Pholiota*. *Persoonia* 13: 77-82.

- Kyde, M. M. & J. L. Peterson (1986). A variant of *Lepiota cristata*. *Mycologia* 78: 851-853.
- Kytovuori, I. (1989). The *Tricholoma caligatum* group in Europe and North Africa. *Karstenia* 28: 65-77.
- Laessoe, T. & Lodge, D. J. (1994). Three host-specific *Xylaria* species. *Mycologia* 86: 436-446.
- Laessoe, T. & Lincoff, G. (2002). *Mushrooms* (Smithsonian Handbooks). New York: Dorling Kindersley. 304 pp.
- Landvik, S. (1996). *Neolecta*, a fruit-body-producing genus of the basal ascomycetes, as shown by SSU and LSU rDNA sequences. *Mycological Research* 100: 199-202.
- Landvik, S., K. N. Egger & T. Schumacher (1997). Towards a subordinal classification of the Pezizales (Ascomycota): Phylogenetic analyses of SSU rDNA sequences. *Nordic Journal of Botany* 17: 403-418.
- Landvik, S. et al. (1999). *Pindara*: a miniature *Helvella*. *Mycologia* 91: 278-285.
- Landvik, S., et al. (2001). *Neolecta*—a fungal dinosaur? Evidence from Beta-tubulin amino acid sequences. *Mycologia* 93: 1151-1163.
- Lange, M. (1981). Typification and delimitation of *Omphalina* Quel. *Nordic Journal of Botany* 1: 691-696.
- Lange, M. & Smith, A. H. (1953). The *Coprinus ephemerus* group. *Mycologia* 45: 747-780.
- Lannoy, G. & A. Estades (1995). Monographie des *Leccinum* d'Europe. La Roche-sur-Foron, France: Federation Mycologique Dauphine-Savoie. 229 pp.
- Largent, D. L. & Benedict, R. G. (1970). Studies in the Rhodophylloid fungi II: *Alboleptonia*, a new genus. *Mycologia* 62: 437-452.
- Largent, D. L. & Benedict, R. G. (1971). Studies in the Rhodophylloid fungi I: Generic concepts. *Madrono* 21: 32-39.
- Largent, D. L. (1971). Rhodophylloid fungi of the Pacific Coast (United States) I: Type studies and new combinations of species described prior to 1968. *Brittonia* 23: 238-245.
- Largent, D. L. (1973). *How to identify mushrooms to genus I: Macroscopic features*. Eureka, CA: Mad River Press. 86 pp.
- Largent, D. L. & Thiers, H. D. (1973). *How to identify mushrooms to genus II: Field identification of genera*. Eureka, CA: Mad River Press. 32 pp.
- Largent, D. L., et al. (1973). *How to identify mushrooms to genus III: Microscopic features*. Eureka, CA: Mad River Press. 148 pp.
- Largent, D. L., N. Sugihara & A. Brinitzer (1980). *Amanita gemmata*, a non-host-specific mycorrhizal fungus of *Arctostaphylos manzanita*. *Mycologia* 72: 435-439.
- Largent, D. L. (1985). *The Agaricales (Gilled Fungi) of California. 5. Hygrophoraceae*. Eureka, California: Mad River Press. 208 pp.
- Largent, D. L. & Baroni, T. J. (1988). *How to identify mushrooms to genus VI: Modern genera*. Eureka, CA: Mad River Press. 277 pp.

Largent, D. L. (1994). *Entolomatoid fungi of the western United States and Alaska*. Eureka, CA: Mad River Press. 516 pp.

Larsen, M. J. & Melo, X. (1996). Neotypification of *Phellinus pini*. *Mycologia* 88: 839-843.

Larson, H. (1980). Key to the genera of the operculate cup-fungi (Pezizales) of the Pacific Northwest and Rocky Mountain region. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Peziza.htm>

Larsson, E. & Larsson, K. H. (2003). Phylogenetic relationships of russuloid basidiomycetes with an emphasis on aphylophoralean taxa. *Mycologia* 95: 1037-1065.

Larsson, E. & Jacobsson, S. (2004). Controversy over *Hygrophorus costa* settled using ITS sequence data from 200 year-old type material. *Mycological Research* 108: 781-786.

Laursen, G. A., O. K. Miller, Jr. & H. E. Bigelow (1976). A new *Clitocybe* from the Alaskan arctic. *Canadian Journal of Botany* 54: 976-980.

Lavorato, C. (2000). *Suillus lakei* var. *calabrus* var. nov. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 285-288.

Leathem, A. M. & T. J. Dorran (2007). Poisoning due to raw *Gyromitra esculenta* (false morels) west of the Rockies. *Canadian Journal of Emergency Medicine* 9: 127-130.

Leathers C. R. 1956. New Species and Varieties of *Clavaria* From Michigan. *Mycologia* 48: 278-287.

Leathers, C. R. & Smith, A. H. (1967). Two new species of clavarioid fungi. *Mycologia* 59: 456-462.

Lennox, J. W. (1979). Collybioid genera in the Pacific Northwest. *Mycotaxon* 9: 117-23.

Leuthy, C. S. (1997). Key to species of *Lactarius* in the Pacific Northwest: A macroscopic field key to species reported from Washington, Oregon, and Idaho with some reports from western Montana and southern British Columbia. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Lactar.rtf>

Li, L. T. & Kimbrough, J. W. (1995). Spore ontogeny in species of *Sarcoscypha*. *Mycologia* 87: 749-758.

Li, S. H., Y. C. Zhao, H. M. Chai & M. H. Zhong (2006). Two new species in the genus *Morchella* (Pezizales, *Morchellaceae*) from China. *Mycotaxon* 95: 319-322.

Lickey, E. B., K. W. Hughes & R. H. Petersen. (2002). Biogeographical patterns in *Artomyces pyxidatus*. *Mycologia* 94: 461-471.

Lilleskov, E. A. & Bruns, T. D. (2001). Nitrogen and ectomycorrhizal communities: What we know, what we need to know. *New Phytologist* 149: 154-158.

Lincoff, G. H., ed. (1981). *Simon & Schuster's guide to mushrooms*. New York: Simon & Schuster. 512 pp.

Lincoff, G. H. (1992). *The Audubon Society field guide to North American mushrooms*. New York: Knopf. 926 pp.

Liu, Y. J. et al. (1997). Phylogenetic relationships in *Dermocybe* and related *Cortinarius* taxa based on nuclear ribosomal DNA internal transcribed spacers. *Canadian Journal of Botany* 75: 519-532.

Lockwood, T. F. (2002). *Treasures from the kingdom of fungi*. Korea: Taylor Lockwood. 127 pp.

- Long, W. H. (1907). The Phalloideae of Texas. *Journal of Mycology* 13: 102-114.
- Long, W. H. (1945). *Polyporus farlowii* and its rot. *Lloydia* 8: 231-237.
- Lonik, L. (1985). *The curious morel: Mushroom hunters' recipes, lore & advice*. USA: RKT Publishing. 134 pp.
- Luo, H., Mo, M., Huang, X., Li, X. & Zhang, K. (2004). *Coprinus comatus*: A basidiomycete fungus forms novel spiny structures and infects nematode. *Mycologia* 96: 1218-1225.
- Luther, B. S. & Redhead, S. A. (1981). *Crepidotus cinnabarinus* in North America. *Mycotaxon* 12: 417-430.
- Lutzoni, F. M. (1997). Phylogeny of lichen- and non-lichen-forming omphalinoid mushrooms and the utility of testing for combinability among multiple data sets. *Systematic Botany* 46: 373-406.
- Maguire, R. (1982). Trial field key to the species of Sarcosomataceae in the Pacific Northwest. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Sarcos.htm>
- Mains, E. B. (1956). North American species of the Geoglossaceae, tribe Cudonieae. *Mycologia* 48: 694-710.
- Mains, E. B. (1957). Species of *Cordyceps* parasitic on *Elaphomyces*. *Bulletin of the Torrey Botanical Club* 84: 243-251.
- Mains, E. B. (1958). North American entomogenous species of *Cordyceps*. *Mycologia* 50: 169-222.
- Mankel, A., Kost, G. & Kothe, E. (1998). Re-evaluation of the phylogenetic relationship among species of the genus *Tricholoma*. *Microbiological Research* 153: 377-388.
- Mansur, M. et al. (2003). The white-rot fungus *Pleurotus ostreatus* secretes laccase isozymes with different substrate specificities. *Mycologia* 95: 1013-1020.
- Marshall, N. L. (1902). *The mushroom book: A popular guide to the identification and study of our commoner fungi, with special emphasis on the edible varieties*. New York: Doubleday, Page & Co. 167 pp.
- Masaphy, S. (2005). External ultrastructure of fruit body initiation in *Morchella*. *Mycological Research* 109: 504-512.
- Massicotte, H. B., R. Molina, D. L. Luoma & J. E. Smith (1994). Biology of the ectomycorrhizal genus *Rhizopogon*. II. Patterns of host-fungus specificity following spore inoculation of diverse hosts grown in monoculture and dual culture. *New Phytologist* 126: 677-690.
- Mata, J. L. et al. (2001). The genus *Lentinula* in the Americas. *Mycologia* 93: 1102-1112.
- Matheny, P. B. & Kropp, B. R. (2001). A revision of the *Inocybe lanuginosa* group and allied species in North America. *Sydowia* 53: 93-139.
- Matheny, P. B., Liu, Y. J., Ammirati, J. F. & Hall, B. D. (2002). Using RPB1 sequences to improve phylogenetic inference among mushrooms (*Inocybe*, Agaricales). *American Journal of Botany* 89: 688-698.
- Matheny, P. B. (2005). Improving phylogenetic inference of mushrooms with RPB1 and RPB2 nucleotide sequences (*Inocybe*; Agaricales). *Molecular Phylogenetics and Evolution* 35: 1-20.
- Matheny, P. B. et al. (2006). Major clades of Agaricales: A phylogenetic overview. *Mycologia* 98: 982-995.

- Matsumoto, T., Y. Obatake, Y. Fukumasa-Nakai & E. Nagasawa (2003). Phylogenetic position of *Pholiota nameko* in the genus *Pholiota* inferred from restriction analysis of ribosomal DNA. *Mycoscience* 44: 197-202.
- McFarland, K. P. & Rimmer, C. C. (1996). Horsehair fungus, *Marasmius androsaceus*, used as nest lining by birds of the subalpine spruce-fir community in the northeastern United States. *The Canadian Field-Naturalist* 110: 541-543.
- McFarlane, E. M., Pilz, D. & Weber, N. S. (2005). High-elevation gray morels and other *Morchella* species harvested as non-timber forest products in Idaho and Montana. *Mycologist* 19: 62-68.
- McKnight, K. H. (1969). A note on *Discina*. *Mycologia* 61: 614-630.
- McKnight, K. H. (1971). On two species of false morels (*Gyromitra*) in Utah. *The Great Basin Naturalist*. 31: 35-47.
- McKnight, K. H. (1973). Two misunderstood species of *Gyromitra* (false morel) in North America. *The Michigan Botanist* 12: 147-162.
- McKnight, K. H. & Batra, L. R. (1974). Scanning electron microscopy in taxonomy of gyromitroid fungi. *The Michigan Botanist* 13: 51-63.
- McKnight, K. H. & M. Stransky (1980). Notes on *Podaxis argentinum* from North America. *Mycologia* 72: 195-199.
- McKnight, K. H. (1985). The small-spored species of *Podaxis*. *Mycologia* 77: 24-35.
- McKnight, K. H. & McKnight, V. B. (1987). *Mushrooms* (Peterson Field Guides). New York: Houghton Mifflin. 429 pp.
- McNeil, R. (2006). *Le grand livre des champignons du Quebec et de l'est du Canada*. Waterloo: Editions Michel Quintin. 575 pp.
- Medel, R. (2005). A review of the genus *Gyromitra* (Ascomycota, *Pezizales*, *Discinaceae*) in Mexico. *Mycotaxon* 94: 103-110.
- Medel, R. & J. Marmolejo (2005). Micromorfología de esporas en algunas especies de *Gyromitra* s. l. (Ascomycotina, *Pezizales*, *Discinaceae*). *Revista Mexicana de Micología* 21: 15-21.
- Mello, A., A. Vizzini, S. Longato, F. Rollo, P. Bonfante & J. M. Trappe (2000). *Tuber borchii* versus *Tuber maculatum*: Neotype studies and DNA analyses. *Mycologia* 92: 326-331.
- Methven, A. S. (1985). New and interesting species of *Lactarius* from California. *Mycologia* 77: 472-482.
- Methven, A. S. (1992). An introduction to the infrageneric classification of *Lactarius*. *Mcllvainea* 10: 29-40.
- Methven, A. S. (1993). Contributions to a study of the North American species of *Lactarius*. *Mcllvainea* 11: 26-34.
- Methven, A. S. (1997). *The Agaricales of California. 10. Russulaceae II. Lactarius*. Eureka, CA: Mad River Press. 78 pp.
- Methven, A. S. et al. (2000). *Flammulina* RFLP patterns identify species and show biogeographical patterns within species. *Mycologia* 92: 1064-1070.

- Metzler, S. & Metzler, V. (1992). *Texas Mushrooms*. Austin: U Texas P.350 pp.
- Michelot, D. & Toth, B. (1991). Poisoning by *Gyromitra esculenta*: A review. *Journal of Applied Toxicology* 11: 235-243.
- Michelot, D. (1992). Poisoning by *Coprinus atramentarius*. *Natural Toxins* 1: 73-80.
- Mihail, J. D. et al. (2007). Spatial and temporal patterns of morel fruiting. *Mycological Research* 111: 339-346.
- Miller, A. N. & Methven, A. S. (2000). Biological species concepts in eastern North American populations of *Lentinellus*. *Mycologia* 92: 792-800.
- Miller, O. K. Jr. (1964). Monograph of *Chroogomphus* (Gomphidiaceae). I. *Mycologia* 56: 526-549.
- Miller, O. K. Jr. (1966). A new western species of *Chroogomphus*. *Mycologia* 58: 855-861.
- Miller, O. K. Jr. (1967). Notes on western fungi. I. *Mycologia* 59: 504-512.
- Miller, O. K. Jr. (1970). The genus *Panellus* in North America. *The Michigan Botanist* 9: 17-30.
- Miller, O. K. Jr. & J. M. Trappe (1970). A new *Chroogomphus* with a loculate hymenium and a revised key to section *Floccigomphus*. *Mycologia* 62: 831-836.
- Miller, O. K. & Stewart, L. (1971). The genus *Lentinellus*. *Mycologia* 63: 333-369.
- Miller, O. K. Jr. (1971). The genus *Gomphidius* with a revised description of the Gomphidiaceae and a key to the genera. *Mycologia* 63: 1129-1163.
- Miller, O. K. Jr. (1972). *Mushrooms of North America*. New York: Dutton. 360 pp.
- Miller, O. K. Jr. (1973). A new gasteroid genus related to *Gomphidius*. *Mycologia* 65: 226-229.
- Miller, O. K. Jr. et al. (1980). The fruiting and development of *Rhodotus palmatus* in culture. *Mycotaxon* 11: 409-419.
- Miller, O. K. Jr. (1984). A new species of *Hygrophorus* from North America. *Mycologia* 76: 816-819.
- Miller, O. K. Jr. & Watling, R. (1987). Whence cometh the Agarics? A reappraisal. In *Evolutionary biology of the fungi*. Rayner, A. D. M. et al., eds. New York: Cambridge UP.
- Miller, O. K. & Miller, H. H. (1988). *Gasteromycetes: Morphological and developmental features with keys to the orders, families, and genera*. Eureka, CA: Mad River Press. 157 pp.
- Miller, O. K. Jr., Trueblood, E. & Jenkins, D. T.. (1990). Three new species of *Amanita* from southwestern Idaho and southeastern Oregon. *Mycologia* 82: 120-128.
- Miller, O. K. Jr., T. J. Volk & A. E. Bessette (1996). A new genus, *Leucopholiota*, in the Tricholomataceae (Agaricales) to accommodate an unusual taxon. *Mycologia* 88: 137-139.
- Miller, O. K. Jr. et al. (2002). Two new species of *Gomphidius* from the western United States and eastern Siberia. *Mycologia* 94: 1044-1050.
- Miller, O. K. Jr. (2003). The Gomphidiaceae revisited: a worldwide perspective. *Mycologia* 95: 176-183.
- Miller, O. K. Jr. & H. H. Miller (2006) *North American Mushrooms: A Field Guide to Edible and Inedible Fungi*. Helena, Montana: Falconguide. 584 pp.

- Miller, S. J. et al. (2001). A molecular phylogeny of the Russulales including agaricoid, gasteroid and pleurotoid taxa. *Mycologia* 93: 344-354.
- Miller, S. L., P. Torres & T. M. McClean (1993). Basidiospore viability and germination in ectomycorrhizal and saprotrophic basidiomycetes. *Mycological Research* 97: 141-149.
- Miller, S. L. et al. (1994). Persistence of basidiospores and sclerotia of ectomycorrhizal fungi and *Morchella* in soil. *Mycologia* 86: 89-95.
- Miller, S. L. (2004). New and interesting species of *Russula* from the southeastern United States 1. *Russula billsii*. *Mycotaxon* 89: 31-38.
- Minnis, A. M., W. J. Sundberg, A. S. Methven, et al. (2006). Annulate *Pluteus* species, a study of the genus *Chamaeota* in the United States. *Mycotaxon* 96: 31-39.
- Mitchell, D. H. & Smith, A. H. (1976). Notes on Colorado fungi II. Species of *Armillaria* (Fr.) Kummer. (Agaricales) *Mycotaxon* 4: 513-533.
- Mitchell, D. H. & Smith, A. H. (1978). Notes on Colorado fungi III: New and interesting mushrooms from the aspen zone. *Mycologia* 70: 1040-1063.
- Mitchell, A. (1987). *Trees of North America*. San Diego: Thunder Bay Press. 208 pp.
- Mitchell, A. D. & Brseinsky, A. (1999). Phylogenetic relationships of *Agaricus* species based on ITS-2 and 28S ribosomal DNA sequences. *Mycologia* 91: 811-819.
- Mitchell, A. D. et al. (2004). Phylogenetics - Fungi: *Agaricus*. Retrieved Aug. 20, 2004 from the *Evolution and Conservation Research & Collaboration* Web site: <http://www.inet.net.nz/~anthony/>
- Mitchell, D. H. & Smith, A. H. (1975). Notes on Colorado fungi I. *Hygrophorus amarus*. *Mycologia* 67: 672-674.
- Mitchell, D. H. & Smith, A. H. (1978). Notes on Colorado fungi III: New and interesting mushrooms from the aspen zone. *Mycologia* 70:1040-1063.
- Mitchell, J.I., et al. (1995). Sequence or structure? A short review on the application of nucleic acid sequence information to fungal taxonomy. *Mycologist* 9, 67-75.
- Moberg, R. (1970). *Neogyromitra caroliniana* and *N. gigas* in Fennoscandia. *Friesia* 9: 341-343.
- Mohlenbrock, R. H. (Date not provided.). *Forest trees of Illinois*. Springfield, IL: Illinois Department of Natural Resources. 331 pp.
- Molina, R. & J. M. Trappe (1994). Biology of the ectomycorrhizal genus *Rhizopogon*. I. Host associations, host-specificity and pure culture syntheses. *New Phytologist* 126: 653-675.
- Moncalvo, J. M., et al. (1993). Systematics of *Lyophyllum* section *Difformia* based on evidence from culture studies and ribosomal DNA sequences. *Mycologia* 85: 788-794.
- Moncalvo, J. M., et al. (1995). Phylogenetic relationships in *Ganoderma* inferred from the internal transcribed spacers and 25S ribosomal DNA sequences. *Mycologia* 87: 223-238.
- Moncalvo, J. M., Drehmel, D. & Vilgalys, R. (2000). Variations in modes and rates of evolution in nuclear and mitochondrial ribosomal DNA in the mushroom genus *Amanita* (Agaricales, Basidiomycota): Phylogenetic implications. *Molecular Phylogenetics and Evolution* 16: 48-63.
- Moncalvo, J. M. et al. (2000). Phylogenetic relationships of agaric fungi based on nuclear large

subunit ribosomal DNA sequences. *Syst. Biol.* 49: 278-605.

Moncalvo, J. M. et al. (2002). One hundred and seventeen clades of euagarics. *Molecular Phylogenetics and Evolution* 23: 357-400.

Money, N. P. (1998). More g's than the Space Shuttle: Ballistospore discharge. *Mycologia* 90: 547-558.

Money, N. P. (2002). *Mr. Bloomfield's orchard: The mysterious world of mushrooms, molds, and mycologists*. New York: Oxford UP. 208 pp.

Money, N. P. (2002). Mushroom stem cells. *BioEssays* 24: 949-952.

Money, N. P. (2004). *Carpet monsters and killer spores: A natural history of toxic mold*. New York: Oxford UP. 178 pp.

Money, N. P. (2004). The fungal dining habit: a biomechanical perspective. *Mycologist* 18: 71-76.

Money, N. P. (2005). Why picking wild mushrooms may be bad behaviour. *Mycological Research* 109: 131-135.

Money, N. P. & J. P. Ravishankar (2005). Biomechanics of stipe elongation in the basidiomycete *Coprinopsis cinerea*. *Mycological Research* 109: 627-634.

Monoson, H. L., A. S. Methven & W. J. Sundberg (1993). Illinois species of *Volvariella* (Basidiomycetes, Agaricales, Pluteaceae). *Mycotaxon* 49: 269-278.

Montoya, L. & Bandala, V. M. (2004). *Lactarius* subgenus *Piperites*: A new species and a new name. *Mycotaxon* 89: 47-54.

Montoya, L. & V. M. Bandala (2005). A new species and a new record of *Lepiota* occurring in the Gulf of Mexico area. *Mycotaxon* 94: 111-125.

Moore, D. et al. (1996). Gravimorphogenesis in agarics. *Mycological Research* 100: 257-273.

Morales-Torres, E. et al. (1999). Revision of *Amanita alexandri* and its similarity to *Amanita polypyramis*. *Mycotaxon* 73: 477-491.

Moreno, G., A. Banares & M. Heykoop (1995). *Macrolepiota molybdites* (Meyer: Fr.) *comb. nov.*, new to the Canary Islands. *Mycotaxon* 55: 467-471.

Moreno, G. et al. (1997). *Tricholoma albidulum* sp. nov. (Tricholomataceae, Agaricales) from Baja California, Mexico. *Mycotaxon* 63: 383-387.

Morgan, A. P. (1906, 1907). North American species of *Lepiota*. *The Journal of Mycology* 12: 154-159, 195-203, 242-248; 13: 1-18.

Morse, E. E. (1933). A study of the genus *Podaxis*. *Mycologia* 25: 1-33.

Moser, M. (1949). Über das massenaufreten von Formen der Gattung *Morchella* auf Waldbrandflächen. *Sydowia, Annales Mycologici* ser. II, 3: 174-195.

Moser, M. (1983). *Keys to Agarics and Boleti (Polyporales, Boletales, Agaricales, Russulales)*. Ed. Kibby, G. Transl. Plant, S. London: Roger Phillips. 535 pp.

Moser, M. (1984). *Panaeolus alcidis*, a new species from Scandinavia and Canada. *Mycologia* 76: 551-554.

- Moser, M. (1993). Studies on North American Cortinariii. III. The *Cortinarius* flora of dwarf and shrubby *Salix* associations in the alpine zone of the Windriver Mountains, Wyoming, USA. *Sydowia* 45: 275-306.
- Moser, M. M. & Ammirati, J. F. (1996). Studies in North American *Cortinariii* II. Interesting and new species collected in the North Cascade Mountains, Washington. *Mycotaxon* 58: 387-412.
- Moser, M. M. et al. (1995). Studies on North American *Cortinariii* I. New and interesting taxa from the greater Yellowstone area. *Mycotaxon* 55: 301-346.
- Mueller, G. M. (1997). The mushroom genus *Laccaria* in North America. Retrieved from the Field Museum of Natural History Web site: [http://www.fieldmuseum.org/research\\_collections/botany/botany\\_sites/fungi/index.html](http://www.fieldmuseum.org/research_collections/botany/botany_sites/fungi/index.html)
- Mueller, G. M., R. E. Halling, J. Carranza, M. Mata & J. P. Schmit (2006). Saprotrophic and ectomycorrhizal macrofungi of Costa Rican oak forests. In M. Kappelle, ed. *Ecological Studies, Vol. 185: Ecology and Conservation of Neotropical Montane Oak Forests*. 55-68.
- Mueller, G. M. et al. (2007). Global diversity and distribution of macrofungi. *Biodiversity Conservation* 16: 37-48.
- Murata, H. et al. (2002). Genetic evidence that two types of retroelements evolved through different pathways in ectomycorrhizal Homobasidiomycetes *Tricholoma* spp. *Bioscience, Biotechnology, and Biochemistry* 66: 1880-1886.
- Murphy, J. (2005). Trial key to species of marasmioid fungi in the Pacific Northwest. Retrieved October, 2006 from the Pacific Northwest Key Council Web site: <http://www.svims.ca/council/Marasm.doc>
- Murrill, W. A. (1909). The Boletaceae of North America I. *Mycologia* 1: 4-18.
- Murrill, W. A. (1912). The Agaricaceae of the Pacific Coast: III. *Mycologia* 4: 294-308.
- Murrill, W. A. (1913). The amanitas of eastern North America. *Mycologia* 5: 72-86.
- Murrill, W. A. (1913). The Agaricaceae of the Pacific Coast - IV. New species of *Clitocybe* and *Melanoleuca*. *Mycologia* 5: 206-223.
- Murrill, W. A. (1915). The genus *Clitocybe* in North America. *Mycologia* 7: 256-283.
- Murrill, W. A. (1940). Additions to Florida fungi—III. *Bulletin of the Torrey Botanical Club* 67: 145-154.
- Murrill, W. A. (1945). More Florida fungi. *Lloydia* 8: 263-289.
- Murrill, W. A. (1949). Terrestrial Basidiomycete fungi of Florida high-pine woods. *Ecology* 30: 377-382.
- Nannfeldt, J. A. (1972). *Camarops* Karst. (Spheriales-Boliniaceae) with special regard to its European species. *Svensk Botanisk Tidskrift* 66: 335-376.
- Neves, M. A. (2007). Key to *Phylloporus* (excluding Africa). Retrieved March 18, 2008 from the New York Botanical Garden Web site: <http://www.nybg.org/bsci/res/hall/boletes/PhylloporusKey.pdf>
- Nilsson, S. et al. (1978). *Fungi of northern Europe 2: Gill-fungi*. Middlesex: Penguin Books. 130 pp.
- Noordeloos, M. E. (1979). *Entoloma* subgenus *Pouzaromyces* Emend. In Europe. *Persoonia* 10: 207-243.
- Noordeloos, M. E. (1979). Type studies on Entolomatoid species in the Velenovsky Herbarium—I.

*Persoonia* 10: 245-265.

Noordeloos, M. E. (1980). *Entoloma* subgenus *Nolanea* in the Netherlands and adjacent regions with a reconnaissance of its remaining taxa in Europe. *Persoonia* 10: 427-534.

Noordeloos, M. E. (1981). Introduction to the taxonomy of the genus *Entoloma sensu lato* (Agaricales). *Persoonia* 11: 121-151.

Noordeloos, M. E. (1981). *Entoloma* subgenera *Entoloma* and *Allocybe* in the Netherlands and adjacent regions with a reconnaissance of their remaining taxa in Europe. *Persoonia* 11: 153-256.

Noordeloos, M. E. (1981). *Entoloma* subgenus *Nolanea*—Additions. *Persoonia* 11: 257.

Noordeloos, M. E. (1982). *Entoloma* subgenus *Leptonia* in northwestern Europe—I. Introduction and a revision of its section *Leptonia*. *Persoonia* 11: 451-471.

Noordeloos, M. E. (1984). Studies in *Entoloma*—10-13. *Persoonia* 12: 195-223.

Noordeloos, M. E. (1981). *Entoloma in North America*. Stuttgart: Gustav Fischer Verlag. 164 pp.

Noordeloos, M. E., A. Hausknecht & A. Zuccherelli (1994). *Entoloma cettoi*, eine neue Art aus Italien. *Ost. Zeitschr. F. Pilzk.* 3: 25-28.

Noordeloos, M. E. (1994). Studies in *Entoloma* 14. Some new species and new records. *Ost. Zeitschr. F. Pilzk.* 3: 29-39.

Noordeloos, M. E. (1995). Notulae ad floram agaricinam Neerlandicam—XXIII. *Psilocybe and Pholiota*. *Persoonia* 16: 127-129. .

Noordeloos, M. E. (1999). An introduction to the genus *Tricholoma*. *Coolia* 42: 163-182. (In Dutch.)

Noordeloos, M. E. (2001). Studies in *Psilocybe* sect. *Psilocybe*. *Osterr. Z. Pilzk.* 10: 115-180.

Noordeloos, M. E. & A. Hausknecht (2002). Wetere neue *Entoloma*--Arten sus Sudeuropa. *Osterr. Z. Pilzk.* 11: 117-131.

Norman, J. E. & Egger, K. N. (1999). Molecular phylogenetic analysis of *Peziza* and related genera. *Mycologia* 91: 820-829.

Norvell, L. L. et al. (1994). *Omphalina sensu lato* in North America 1-2. 1: *Omphalina wynniae* and the genus *Chrysomphalina*. 2: *Omphalina sensu* Bigelow. *Mycotaxon* 50: 379-407.

Nuytinck, J. & A. Verbeken. (2005). Morphology and taxonomy of the European species in *Lactarius* sect. *Deliciosi* (Russulales). *Mycotaxon* 92: 125-168.

Nuytinck, J., S. L. Miller & A. Verbeken (2006). A taxonomical treatment of the North and Central American species in *Lactarius* sect. *Deliciosi*. *Mycotaxon* 96: 261-307.

Nuytinck, J. & A. Verbeken. (2007). Key to the European species of *Lactarius* sect. *Deliciosi*. Retrieved from the *Russulales News* Web site: [http://www.mtsn.tn.it/russulales-news/id\\_deliciosi.asp](http://www.mtsn.tn.it/russulales-news/id_deliciosi.asp)

Oda, T., Tanaka, C. & Tsuda, M. Molecular phylogeny and biogeography of the widely distributed *Amanita* species, *A. muscaria* and *A. pantherina*. *Mycological Research* 108: 885-896.

O'Donnell, K. L. (1978). A new *Saccobolus* from Michigan. *Mycologia* 70: 189-192.

O'Donnell, K. O., et al. (1997). Phylogenetic relationships among ascomycetous truffles and the true and false morels inferred from 18S and 28S ribosomal DNA sequence analysis. *Mycologia* 89: 48-65.

Ohenoja, E. Ecological aspects of the larger fungi in northern Finnish Lapland and the adjacent parts of Norway. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 397-405.

Ola'h, G. M. (1969). *Le genre Panaeolus: Essai taxinomique et physiologique*. Paris: Herbarium Louis Marie. 273 pp.

Ortiz-Santana, B., D. J. Lodge, T. J. Baroni & E. E. Both (2007). Boletes from Belize and the Dominican Republic. *Fungal Diversity* 27: 247-416.

Orton, P. D. & R. Watling (1979). *British Fungus Flora. Agarics and Boleti. 2. Coprinaceae Part 1: Coprinus*. Eds. D. M. Henderson, P. D. Orton & R. Watling. Edinburgh: Her Majesty's Stationery Office. 149 pp.

Orton, P. D. (1993). *Gymnopilus*. In *British Fungus Flora, Agarics and Boleti. 7 / Cortinariaceae*. Eds. D. M. Henderson et al. UK: Royal Botanic Garden Edinburgh, pp. 58-72.

Osmundson, T. W., R. E. Halling & H. C. den Bakker (2007). Morphological and molecular evidence supporting an arbutoid mycorrhizal relationship in the Costa Rican paramo. *Mycorrhiza* (in press.)

Oso, B. A. (1975). Mushrooms and the Yoruba people of Nigeria. *Mycologia* 67: 311-319.

Osono, T. et al. (2003). Roles of diverse fungi in larch needle-litter decomposition. *Mycologia* 95: 820-826.

Overholts, L. O. (1916). New or interesting species of gill fungi from Missouri. *Annals of the Missouri Botanical Garden* 3: 195-200.

Overholts, L. O. (1927). A monograph of the genus *Pholiota* in the United States. *Annals of the Missouri Botanical Garden* 14: 87-211.

Overholts, L. O. (1934). The morels of Pennsylvania. *Proceedings of the Pennsylvania Academy of Science* 8: 108-114.

Ovrebo, C. L. (1973). Taxonomy of the genus *Tricholoma* in the Pacific Northwest. Masters thesis, University of Idaho.

Ovrebo, C. L. & Tylutki, E. E. (1975). New species and a new combination of *Tricholoma* (Agaricales) from the Pacific Northwest. *Mycologia* 67: 75-82.

Ovrebo, C. L. (1980). A taxonomic study of the genus *Tricholoma* (Agaricales) in the Great Lakes Region. Ph. D. thesis, University of Toronto.

Ovrebo, C. L. (1986). Three new species of *Tricholoma* with a description of *Tricholoma luteomaculosum*. *Mycologia* 78: 418-425.

Ovrebo, C. L. (1988). Notes on the cultural characters, morphology and distribution of *Ripartitella brasiliensis*. *Mycotaxon* 31: 229-237.

Ovrebo, C. L. & T. J. Baroni (1988). Three new species of *Rhodocybe* from Costa Rica. *Mycologia* 80: 508-514.

Ovrebo, C. L. (1989). *Tricholoma*, subgenus *Tricholoma*, section *Albidogrisea*: North American species found principally in the Great Lakes region. *Canadian Journal of Botany* 67: 3134-3152.

Ower, R. (1982). Notes on the development of the morel ascocarp: *Morchella esculenta*. *Mycologia* 74: 142-144.

Ower, R. D. et al. (1985). United States Patent 4,594,809: Cultivation of *Morchella*. Retrieved March 7, 2004 from the United States Patent Office Web site.

Paden, J. W. (1973). The conidial state of *Peziza ammophila*. *Canadian Journal of Botany* 51: 2251-2252.

Palm, M. E. & Stewart, E. L. (1984). *Suillus neoalbidipes*: A new species for *Suillus albidipes*. *Mycologia* 76: 433-438.

Patrick, W. W. Jr. (1977). Sectional nomenclature in the genus *Coprinus*. *Mycotaxon* 6: 341-355.

Patrick, W. W. Jr. (1979). Comparative morphology and taxonomic disposition of *ebulbosus*, *quadrifidus*, and *variegatus* in the genus *Coprinus* (Agaricales). *Mycotaxon* 10: 142-154.

Pearson, A. A. (1950). *The genus Russula*. 2<sup>nd</sup> Edition. London: Brown & Sons. 24 p.

Peattie, D. C. (1948/1991). *A natural history of trees of eastern and central North America*. Boston: Houghton Mifflin. 606 pp.

Peck, C. H. (1895). New species of fungi. *Bulletin of the Torrey Botanical Club* 22: 485-493.

Peck, C. H. (1899). New species of fungi. *Bulletin of the Torrey Botanical Club* 26: 63-71.

Peck, C. H. (1902). New species of fungi. *Bulletin of the Torrey Botanical Club* 29: 69-74.

Peck, C. H. (1906). Report of the state botanist: New York species of *Russula*. *Bulletin of the New York State Museum* 116: 67-117.

Pegler, D. N. (1983). *The genus Lentinus: A world monograph*. London: Her Majesty's Stationery Office (Kew Bulletin Additional Series X). 281 pp.

Pegler, D. N. et al. (1998). The pantropical genus *Macrocybe* gen. Nov. *Mycologia* 90: 494-504.

Peintner, U. et al. (2002). Phylogeny of *Rozites*, *Cuphocybe* and *Rapacea* inferred from ITS and LSU rDNA sequences. *Mycologia* 94: 620-629.

Peintner, U. et al. (2002). *Rozites*, *Cuphocybe* and *Rapacea* are taxonomic synonyms of *Cortinarius*: New combinations and new names. *Mycotaxon* 83: 447-451.

Peintner, U., Moncalvo, J. M., & Vilgalys, R. (2004). Toward a better understanding of infrageneric relationships in *Cortinarius* (Agaricales, Basidiomycota). *Mycologia* 96: 1042-1058.

Penas, M. M. et al. (2004). Structure of gene coding for the fruit body-specific hydrophobin Fbh1 of the edible basidiomycete *Pleurotus ostreatus*. *Mycologia* 96: 75-82.

Perry, B. A., K. Hansen & D. H. Pfister (2007). A phylogenetic overview of the family *Pyronemataceae* (Ascomycota, Pezizales). *Mycological Research* 111: 549-571.

Persoon, C. H. (1801). *Helvella, Morchella*. *Synopsis Methodica Fungorum*. Gottingen. 614-621.

Persson, O. (1997). *The chanterelle book*. Berkeley: Ten Speed Press. 120 pp.

Petersen, R. H. (1963). Agarics and boletes from Mid-Ontario. *Bulletin of the Torrey Botanical Club* 90: 260-264.

Petersen, R.H. (1964). Notes on clavarioid fungi. I. The *Clavulina castaneopes* complex. *Mycologia* 56: 20-28.

- Petersen, R. H. (1964). Notes on clavarioid fungi. II. Corrections in the genera *Ramariopsis* and *Clavaria*. *Bulletin of the Torrey Botanical Club* 91: 274-280.
- Petersen, R. H. (1965). Notes on clavarioid fungi. III. *Clavaria inaequalis* Muller ex Fries. *Nova Hedwigia* 10: 261-268.
- Petersen, R. H. (1965). Notes on clavarioid fungi. IV. Nomenclature and synonymy of *Clavulinopsis pulchra* and *Clavaria laeticolor*. *Mycologia* 57: 521-523.
- Petersen, R. H. (1966). Notes on clavarioid fungi. V. Emendation and additions to *Ramariopsis*. *Mycologia* 58: 201-207.
- Petersen, R. H. (1967). Type studies in the Clavariaceae. *Sydowia* 21: 105-122.
- Petersen, R. H. & Olexia, P. D. (1967). Type studies in the clavarioid fungi. I. The taxa described by Charles Horton Peck. *Mycologia* 59: 767-802.
- Petersen, R. H. (1967). Notes on clavarioid fungi – VI. New species and notes on the origin of *Clavulina*. *Mycologia* 59: 39-46.
- Petersen, R. H. (1967). Notes on clavarioid fungi. VII. Redefinition of the *Clavaria vernalis*-*C. mucida* complex. *American Midland Naturalist* 77: 205-221.
- Petersen, R. H. (1967). Notes on clavarioid fungi. VIII. *Clavaria pinicola* and *C. stillingeri*. *Bulletin of the Torrey Botanical Club* 94: 417-422.
- Petersen, R. H. (1968) *The genus Clavulinopsis in North America*. (*Mycologia Memoir* No. 2.) New York: Hafner. 39 pp.
- Petersen, R. H. (1969). Notes on cantharelloid fungi – II. Some new taxa, and notes on *Pseudocraterellus*. *Persoonia* 5: 211-223.
- Petersen R.H. 1969. Type studies in clavarioid fungi. III. The taxa described by J. B. Cleland. *Bulletin of the Torrey Botanical Club* 96: 457-466.
- Petersen, R. H. (1969). Notes on clavarioid fungi. X. New species and type studies in *Ramariopsis*, with a key to species in North America. *Mycologia* 61: 549-559.
- Petersen, R. H. (1972). Notes on clavarioid fungi. XII. Miscellaneous notes on *Clavariadelphus*, and a new segregate genus. *Mycologia* 64: 137-152.
- Petersen R.H. 1972. Cultural characters in *Ramaria* subg. *Lentoramaria*, and a new taxon. *American Journal of Botany* 59: 1041–1046.
- Petersen, R. H. (1974). Contribution toward a monograph of *Ramaria*. I. Some classic species redescribed. *American Journal of Botany* 61: 739-748.
- Petersen, R. H. (1974). Contribution toward a monograph of *Ramaria*. II. Exclusion of *Ramaria pinicola* (Burt) Corner. *Journal of the Elisa Mitchell Scientific Society* 90: 66-68.
- Petersen, R. H. (1975). Notes on cantharelloid fungi. VI. New species of *Craterellus* and infrageneric

rearrangement. *Ceska Mykologie* 29: 199-204.

Petersen, R. H. (1976). Contribution toward a monograph of *Ramaria*. III. *R. sanguinea*, *R. formosa*, and two new species from Europe. *American Journal of Botany* 63: 309-316.

Petersen, R. H. (1978). Lexemuel Ray Hesler February 20, 1888-November 20, 1977. *Mycologia* 70: 757-765.

Petersen, R. H. (1978). Notes on clavarioid fungi. XV. Reorganization of *Clavaria*, *Clavulinopsis* and *Ramariopsis*. *Mycologia* 70: 660-671.

Petersen, R. H. (1979). Contribution to a monograph of *Ramaria* IV. *R. testaceo-flava* and *R. bataille*. *Nova Hedwigia* 31: 25-38.

Petersen, R. H. (1982). Contributions toward a monograph of *Ramaria*. V. Type specimen studies of taxa described by W. C. Coker. *Sydowia* 35: 176-205.

Petersen, R. H. (1985). Notes on clavarioid fungi. XX. New taxa and distributional records in *Clavulina* and *Ramaria*. *Mycologia* 77: 903-919.

Petersen, R. H. (1986). Some *Ramaria* taxa from Nova Scotia. *Canadian Journal of Botany* 64: 1786-1811.

Petersen, R. H. (1987). Contribution toward a monograph of *Ramaria*. VI. The *Ramaria fennica* - *versitalis* complex. *Sydowia* 40: 197-226.

Petersen, R. H. (1988). Contribution toward a monograph of *Ramaria*. VII. New taxa and miscellany. *Mycologia* 80: 223-234.

Petersen, R. H. & C. Scates. (1988). Vernal fruiting taxa of *Ramaria* from the Pacific Northwest. *Mycotaxon* 33: 101-144.

Petersen, R. H. (1989). Contributions toward a monograph of *Ramaria*. VIII. Some taxa sheltered under the name *Ramaria flava*. *Persoonia* 14: 23-42.

Petersen, R. H. & Litten, W. (1989). A new species of *Clavaria* fruiting with *Vaccinium*. *Mycologia* 81: 325-327.

Petersen, R. H. & Methven, A. S. (1994). Mating systems in the Xerulaceae: *Xerula*. *Canadian Journal of Botany* 72: 1151-1163.

Peterson, R. L. & Farquhar, M. L. (1994). Mycorrhizas—Integrated development between roots and fungi. *Mycologia* 86: 311-326.

Petersen, R. H. (1995). There's more to a mushroom than meets the eye: Mating studies in the

Agaricales. *Mycologia* 87: 1-17.

Petersen, R. H. & Krisai-Greilhuber, I. (1996). An epitype specimen for *Pleurotus ostreatus*. *Mycological Research* 100: 229-235.

Petersen, R. H. & McCleneghan, S. C. (1997). Reports on long-distance sexual compatibility in Agaricales. *Nordic Journal of Botany* 17: 419-432.

Petersen, R. H. & C. Scates (2000). A new species of *Ramaria* subg. *Ramaria* from western North America. *Karstenia* 40: 139-142.

Petersen, R. H. & Hughes, K. W. (2004). *A preliminary monograph of Lentinellus (Russulales)*. Germany: J. Cramer. 268 pp.

Pfister, D. H. (1973). The psilopezoid fungi. IV. The genus *Pachyella* (Pezizales). *Canadian Journal of Botany* 51: 2009-2023.

Pfister, D. H. (1979). A monograph of the genus *Wynnea* (Pezizales, Sarcoscyphaceae). *Mycologia* 71: 144-159.

Pfister, D. H. (1979). Type studies in the genus *Peziza*. VI. Species described by C. H. Peck. *Mycotaxon* 8: 333-338.

Pfister, D. H. (1979). Type studies in the genus *Peziza*. VII. Miscellaneous species described by M. J. Berkeley and M. A. Curtis. *Mycotaxon* 8: 339-346.

Pfister, D. H. (1980). On "*Peziza*" *melaleuroides*--a species of *Gyromitra* from the western United States. *Mycologia* 72: 614-619.

Pfister, D. H. (1981). The psilopezoid fungi. VIII. Additions to the genus *Pachyella*. *Mycotaxon* 13: 457-464.

Pfister, D. H. (1987). *Peziza phyllogena*: An older name for *Peziza badioconfusa*. *Mycologia* 79: 634.

Pfister, D. H. (1995). The psilopezoid fungi. IX. *Pachyella harbospora*, a new species from Brazil. *Mycotaxon* 54: 393-396.

Pfister, J. (1984) Etudes des types de Peck et de Murrill appartenant ou ayant appartenu au genre *Melanoleuca*. *Mycotaxon* 19: 101-132.

Phillips, R. (1981). *Mushrooms and other fungi of Great Britain & Europe*. In Finnish translation as *WSOY suuri sienikirja*. Helsinki: WSOY. 288 pp.

Phillips, R. (1986). A provisional multi-access key to American species of *Cortinarius*, *Inoloma* &

- Telemonia* (including *Leprocybe*, *Sericeocybe* and *Hydrocybe*). Published by the author. 45 pp.
- Phillips, R. (1991). *Mushrooms of North America*. Boston: Little, Brown and Company. 319 pp.
- Pilz, D. & Molina, R., eds. (1996). *Managing forest ecosystems to conserve fungus diversity and sustain wild mushroom harvests*. Portland, Oregon: USDA General Technical Report. 104 pp.
- Pilz, D., Norvell, Lorelei, Dannell, E. & Molina, R. (2003). *Ecology and management of commercially harvested chanterelle mushrooms*. Portland, Oregon: USDA General Technical Report. 83 pp.
- Pilz, D., N. S. Weber, M. C. Carter, C. G. Parks & R. Molina (2004). Productivity and diversity of morel mushrooms in healthy, burned, and insect-damaged forests of northeastern Oregon. *Forest Ecology and Management* 198: 367-386.
- Pilz, D. et al. (2007). *Ecology and management of morels harvested from the forests of western North America*. Portland, Oregon: USDA General Technical Report. 161 pp.
- Pine, E. M. et al. (1999). Phylogenetic relationships of cantharelloid and clavarioid Homobasidiomycetes based on mitochondrial and nuclear rDNA sequences. *Mycologia* 91: 944-963.
- Poldmaa, K. (2003). Three species of *Hypomyces* growing on basidiomata of Stereaceae. *Mycologia* 95: 921-933.
- Pomerleau, R. & Smith, A. H. (1962). *Fuscoboletinus*, a new genus of the Boletales. *Brittonia* 14: 156-171.
- Preston, R. J. Jr. (1989). *North American trees exclusive of Mexico and tropical Florida*. Ames, IA: Iowa UP. 407 pp.
- Pyysalo, H. & Niskanen, A. (1977). On the occurrence of N-Methyl-N-formylhydrazones in fresh and processed false morel, *Gyromitra esculenta*. *Journal of Agriculture & Food Chemistry*. 25: 644-647.
- Raitviir, A. (1970). Once more on *Neogyromitra caroliniana*. *Transactions of the Tartu State University* 268, *Papers on Botany* 9: 364-373.
- Ramamurthi, C. S. et al. (1957). A revision of the North American species of *Chlorociboria* (Sclerotiniaceae). *Mycologia* 49: 854-863.
- Ramsey, R. W. (1980). *Lycoperdon nettyana*, a new puffball from western Washington State. *Mycotaxon* 11: 185-188.
- Rapier, S. et al. (2002). The anise-like odor of *Clitocybe odora*, *Lentinellus cochleatus*, and *Agaricus essettei*. *Mycologia* 94: 373-376.
- Rauschert, S. (1985). Proposal to conserve *Leccinum* with *L. aurantiacum* as typ. cons. (Fungi:

Boletaceae). *Taxon* 34: 713.

Rauschert, S. (1986). *Leccinum*: Once again. *Taxon* 35: 691-693.

Rea, P. N. & Heidenhain, B. (1955). The genus *Lysurus*. *Papers of the Michigan Academy of Science, Arts, and Letters* 40: 49-66.

Redecker, D. et al. (2001). Small genets of *Lactarius xanthogalactus*, *Russula cremoricolor*, and *Amanita franchetii* in late-stage ectomycorrhizal successions. *Molecular Ecology* 10: 1025-1034.

Redhead, S. A. & Weresub, L. K. (1978). On *Omphalia* and *Omphalina*. *Mycologia* 70: 556-568.

Redhead, S. A. & R. Watling (1979). A new psammophilic *Leccinum*. *Canadian Journal of Botany* 57: 117-119.

Redhead, S. A. & Traquair, J. A. (1981). *Coprinus* Sect. *Herbicolae* from Canada, notes on extralimital taxa, and the taxonomic position of a low temperature basidiomycete forage crop pathogen from western Canada. *Mycotaxon* 13: 373-404.

Redhead, S. A. (1986). Mycological observations 15-16: On *Omphalia* and *Pleurotus*. *Mycologia* 78: 522-528.

Redhead, S. A., et al. (1987). The *Xerula* (*Collybia*, *Oudesmansielli*) *radicata* complex in Canada. *Mycotaxon* 30: 357-405.

Redhead, S. A. (1987). The Xerulaceae (Basidiomycetes), a family with sarcodimitic tissues. *Canadian Journal of Botany* 65:1551-1562.

Redhead, S. A. (1989). A biogeographical overview of the Canadian mushroom flora. *Canadian Journal of Botany* 67: 3003-3062.

Redhead, S. A. et al. (1995). *Omphalina sensu lato* in North America 4: *O. rosella*. *Mycologia* 87: 880-885.

Redhead, S. A., et al. (1997). *Cantharellus formosus* and the Pacific Golden Chanterelle harvest in western North America. *Mycotaxon* 65: 285-322.

Redhead, S. A. et al. (1998). *Flammulina* (Agaricales): *F. stratosa*, a new New Zealand species distantly related to the cultivated Enoki mushroom. *Canadian Journal of Botany* 76: 1589-1595.

Redhead, S. A., R. Vilgalys, J.-M. Moncalvo, J. Johnson & J. S. Hopple, Jr. (2001) *Coprinus* Pers. and the disposition of *Coprinus* species sensu lato. *Taxon* 50: 203-241.

Redhead, S. A., F. Lutzoni, J.-M. Moncalvo & R. Vilgalys (2002). Phylogeny of Agarics: Partial systematics solutions for core omphalinoid genera in the Agaricales (Euagarics). *Mycotaxon* 83: 19-57.

- Reid, D. A. (1989). Notes on some Leucocoprinoïd fungi from Britain. *Mycological Research* 93: 413-423.
- Richter, D. L. (2004). Rare and unusual fungi (Basidiomycota) of the Huron Mountains, Marquette County, Michigan. *The Michigan Botanist* 43: 65-80.
- Rinaldi, A. & Tyndalo, V. (1974). The complete book of mushrooms. Transl. Italia & Alberto Mancinelli. New York: Crown Publishers. 332 pp.
- Rizzo, D. M. et al. (2003). *Phellinus coronadensis*: a new species from southern Arizona, USA. *Mycologia* 95: 74-79.
- Robbins, W. J. & Hervey, A. (1959). Wood extract and growth of *Morchella*. *Mycologia* 51: 356-363.
- Robison, M. M. et al. (2001). A phylogeny of the genus *Agaricus* based on mitochondrial atp6 sequences. *Mycologia* 93: 30-37.
- Rogers, J. D. (1984). *Xylaria acuta*, *Xylaria cornu-damae*, and *Xylaria mali* in continental United States. *Mycologia* 76: 23-33.
- Rogers, J. D. & Samuels, G. J. (1986). Ascomycetes of New Zealand 8. *Xylaria*. *New Zealand Journal of Botany* 24: 615-650.
- Rogers, J. D. et al. (1999). A reinterpretation of *Daldinia concentrica* based upon a recently discovered specimen. *Mycotaxon* 72: 507-519.
- Rogerson, C. T. & Simms, H. R. (1971). A new species of *Hypomyces* on *Helvella*. *Mycologia* 63: 416-421.
- Rogerson, C. T. & Samuels, G. J. (1994). Agaricolous species of *Hypomyces*. *Mycologia* 86: 839-866.
- Roody, W. C. (2003). *Mushrooms of West Virginia and the central Appalachians*. Korea: U Kentucky P. 520 pp.
- Royse, D. J. & May, B. (1990). Interspecific allozyme variation among *Morchella* spp. and its inferences for systematics within the genus. *Biochemical Systematics and Ecology* 18: 475-479.
- Ryvarden, L. (1989). *Mycorrhaphium citrinum* sp. nov. (Basidiomycetes, Aphyllophorales). *Memoirs of the New York Botanical Garden* 49: 344-347.
- Saar, I. (2003). The genera *Cystoderma* and *Cystodermella* (Tricholomataceae) in temperate Eurasia. *Mycotaxon* 86: 455-473.
- Saar, I. & T. Laessoe (2006). Two new *Cystoderma* species from high Andean Ecuador. *Mycotaxon* 96: 123-127. .
- Saccardo, P. A. (1889). Helvelleae; *Discina*. In *SyllogeFungorum VIII*. Ann Arbor, Michigan: J. W. Edwards. 7-33; 99-105.
- Samuelson, D. A. (1978). Asci of the Pezizales. VI. The apical apparatus of *Morchella esculenta*, *Helvella crispa*, and *Rhizina undulata*. General discussion. *Canadian Journal of Botany* 56: 3069-3082.
- San Juan Mountains Association. (1999) *Trees native to the forests of Colorado*. Durango, CO: San Juan Mountains Association. 22 pp.
- San Martin, F., P. Lavin & J. D. Rogers. (2001). Some species of *Xylaria* (Hymenoascomycetes, Xylariaceae) associated with oaks in Mexico. *Mycotaxon* 79: 337-360.

- Sarc, L. & M. Jamsek (2006). Is *Gyromitra esculenta* really a conditionally edible mushroom? - Case report. *Clinical Toxicology* 44: 519.
- Saylor, H. (n.d.). Key to the genus *Arcangeliella* in California. Retrieved from the *MykoWeb* Web site: [http://www.mykoweb.com/CAF/keys/Arcangeliella\\_key.pdf](http://www.mykoweb.com/CAF/keys/Arcangeliella_key.pdf)
- Scates, K. (1980). Field key to Gomphidiaceae in the Pacific Northwest. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Gomphi.htm>
- Scates, K. & T. Gospodnetich (1981/2003). Trial field key to the species of *Pholiota* in the Pacific Northwest. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Pholio.htm>
- Schaechter, E. (1997). *In the Company of Mushrooms: A Biologist's Tale*. Cambridge: Harvard UP. 280 pp.
- Schlosser, W. E. & Blatner, K. A. (1995). The wild edible mushroom industry of Washington, Oregon and Idaho: A 1992 survey. *Journal of Forestry* 93: 31-36.
- Schmidt, E. L. (1979) Puffing in *Morchella*. 13: *Journal??* (Trans. Brit. Myco. Soc. ?) 126-127.
- Schmidt, E. L. (1983). Spore germination of and carbohydrate utilization by *Morchella esculenta* at different soil temperature. *Mycologia* 75: 870-875.
- Schmit, J. P. (2002). Tradeoffs between reproduction and mycelium production in the unit-restricted decomposer *Coprinus cinereus*. *Mycologia* 94: 40-48.
- Seaver, F. J. (1928). *The North American cup-fungi (operculates)*. New York: Hafner. 377 pp.
- Seaver, F. J. (1942). *The North American cup-fungi (inoperculates)*. New York: Hafner. 428 pp.
- Selosse, M. A. (2003). Founder effect in a young *Leccinum duriusculum* (Schultzer) Singer population. *Mycorrhiza* 13: 143-149.
- Shaffer, R. L. (1957). *Volvariella* in North America. *Mycologia* 49: 545-579.
- Shaffer, R. L. (1962). Synonyms, new combinations, and new species in *Volvariella* (Agaricales). *Mycologia* 54: 563-572.
- Shaffer, R. L. (1962). The subsection *Compactae* of *Russula*. *Brittonia* 14: 254-284.
- Shaffer, R. L. (1964). The subsection *Lactarioideae* of *Russula*. *Mycologia* 56: 202-231.
- Shaffer, R. L. (1968). *Keys to genera of higher fungi*. Ann Arbor: U Michigan Biological Station. 131 pp.
- Shaffer, R. L. (1970). Notes on the subsection *Crassotunicatinae* and other species of *Russula*. *Lloydia* 33: 49-96.
- Shaffer, R. L. (1972). North American russulas of the subsection *Foetentinae*. *Mycologia* 64: 1008-1053.
- Shanks, K. M. (1994). A systematic study of *Tricholoma* in California. Ph.D. thesis, San Francisco State University. 207 pp.
- Shanks, K. M. (1996). New species of *Tricholoma* from California and Oregon. *Mycologia* 88: 497-508.

- Shen, Q. et al. (2002). Molecular phylogenetic analysis of *Grifola frondosa* (maitake) reveals a species partition separating eastern North America and Asian isolates. *Mycologia* 94: 472-482.
- Sims, K. P. et al. (1995). A revised key to the genus *Scleroderma*. *Mycotaxon* 56: 403-420.
- Singer, R. & Smith, A. H. (1943). A monograph on the genus *Leucopaxillus* Boursier. *Papers of the Michigan Academy of Science* 28: 85-132.
- Singer, R. (1945). New Boletaceae from Florida (a preliminary communication). *Mycologia* 37: 797-799.
- Singer, R. (1945). The Boletinae of Florida with notes on extralimital species. I. Strobilomycetaceae. *Farlowia* 2: 97-141.
- Singer, R. & Smith, A. H. (1946). The taxonomic position of *Pholiota mutabilis* and related species. *Mycologia* 38: 500-523.
- Singer, R. (1947). New genera of fungi. III. *Mycologia* 39: 77-89.
- Singer, R. (1947). The Boletinae of Florida with notes on extralimital species. III. *The American Midland Naturalist* 37: 1-263.
- Singer, R. & Smith, A. H. (1947). Additional notes on the genus *Leucopaxillus*. *Mycologia* 39: 725-736.
- Singer, R. (1949). The genus *Gomphidius* Fries in North America. *Mycologia* 41: 462-489.
- Singer, R. (1956). Contributions towards a monograph of the genus *Pluteus*. *Transactions of the British Mycological Society* 39: 145-232.
- Singer, R. (1960). Persoon's Synopsis 1801 as starting point for all fungi? *Taxon* 9: 35-37.
- Singer, R. (1964). Die Gattung *Gerronema*. *Nova Hedwigia* 7: 53-92.
- Singer, R. (1977). *The Boletinae of Florida*. Germany: J. Cramer.
- Singer, R. (1978). Keys for the identification of the species of Agaricales I. *Sydowia* 30: 192-279.
- Singer, R. (1979). Keys for the identification of the species of Agaricales II. *Sydowia* 31: 193-237.
- Singer, R. & P. Ponce de Leon (1982). Galeropsidaceae west of the Rocky Mountains. *Mycotaxon* 14: 82-90.
- Singer, R. (1986). *The Agaricales in modern taxonomy*. Germany: Koeltz Scientific Books. 981 pp.
- Singer, R. & R. Williams (1992). Some boletes from Florida. *Mycologia* 84: 724-728.
- Singh, S. K. et al. (2004). Arbitrary primer based RAPD—A useful genetic marker for species identification in morels. *Journal of Plant Biochemistry & Biotechnology* 13: 7-12.
- Smith, A. H. (1937). Notes on agarics from the western United States. *Bulletin of the Torrey Botanical Club* 64: 477-487.
- Smith, A. H. (1939). Studies in the genus *Cortinarius* I. *Contributions from the University of Michigan Herbarium* 2. 43 pp.
- Smith, A. H. (1940). Studies in the genus *Agaricus*. *Paper from the University of Michigan Herbarium*

24: 107-138.

Smith, A. H. (1941). Studies of North American agarics—I. *Contributions from the University of Michigan Herbarium* 5: 1-73.

Smith, A. H. (1941). New and unusual agarics from North America. II. *Mycologia* 33: 1-16.

Smith, A. H. (1942). New and unusual agarics from Michigan III. *Papers of the Michigan Academy of Science, Arts, and Letters* 27: 57-74.

Smith, A. H. (1942). New and unusual *Cortinarii* from Michigan, with a key to the North American species of subgenus *Bulbopodium*. *Bulletin of the Torrey Botanical Club* 69: 44-64.

Smith, A. H. (1944). New and interesting *Cortinarii* from North America. *Lloydia* 7: 163-235.

Smith, A. H. (1944). New North America agarics. *Mycologia* 36: 242-262.

Smith, A. H. (1944). Unusual North American agarics. *The American Midland Naturalist* 32: 669-698.

Smith, A. H. & P. M. Rea (1944). Fungi of southern California: II. *Mycologia* 36: 125-137.

Smith, A. H. & Singer, R. (1945). A monograph on the genus *Cystoderma*. *Papers of the Michigan Academy of Science* 30: 71-124.

Smith, A. H. (1947). *North American species of Mycena*. Ann Arbor: U Michigan P. 521 pp.

Smith, A. H. (1948). Studies in the dark-spored agarics. *Mycologia* 40: 669-707.

Smith, A. H. (1949). *Mushrooms in their natural habitat*. New York: Hafner Press. 626 pp.

Smith, A. H. & Stuntz, D. E. (1950). New or noteworthy fungi from Mt. Rainier National Park. *Mycologia* 42: 80-134.

Smith, A. H. (1951). North American species of *Naematoloma*. *Mycologia* 43: 466-521.

Smith, A. H. (1957). A contribution toward a monograph of *Phaeocollybia*. *Brittonia* 9: 195-217.

Smith, A. H. (1958/1973). *The mushroom hunter's field guide*. Ann Arbor: U Michigan P. 264 pp.

Smith, A. H. & Stuntz, D. E. (1958). Studies on the genus *Pluteus* I. Redescriptions of American species based on a study of type specimens. *Lloydia* 21: 115-136.

Smith, A. H. & R. Singer (1958). Studies on secotiaceous fungi. VIII. A new genus in the Secotiaceae related to *Gomphidius*. *Mycologia* 50: 927-938.

Smith, A. H. & R. Singer (1959). Studies on secotiaceous fungi—IV: *Gastroboletus*, *Truncocolumella*, and *Chamonixia*. *Brittonia* 11: 205-223.

Smith, A. H. (1960). *Tricholomopsis* (Agaricales) in the Western Hemisphere. *Brittonia* 12: 41-70.

Smith, A. H. (1962). Notes on astrogastraceous fungi. *Mycologia* 54: 626-639.

Smith, A. H. & Singer, R. (1964). *A monograph on the genus Galerina Earle*. New York: Hafner Press. 384 pp.

Smith, A. H. & Thiers, H. D. (1964). *A contribution toward a monograph of North American species of Suillus*. Ann Arbor: U Michigan P. 116 pp.

- Smith, A. H., Thiers, H. D. & Miller, O. K. (1965). The species of *Suillus* and *Fuscoboletinus* of the Priest River Experimental Forest and vicinity, Priest River, Idaho. *Lloydia* 28: 120-138.
- Smith, A. H., H. D. Thiers & R. Watling (1966). A preliminary account of the North American species of *Leccinum*, Section *Leccinum*. *The Michigan Botanist* 5: 131-178.
- Smith, A. H., H. D. Thiers & R. Watling (1967). A preliminary account of the North American species of *Leccinum*, Sections *Luteoscabra* and *Scabra*. *The Michigan Botanist* 6: 107-154.
- Smith, A. H. & Thiers, H. D. (1967). Comments on *Suillus amabilis* and *Suillus lakei*. *Mycologia* 59: 361-367.
- Smith, A. H. (1968). The Cantharellaceae of Michigan. *Michigan Botanist* 7: 143-183.
- Smith, A. H. & L. R. Hesler (1968). *The North American Species of Pholiota*. New York: Hafner. 402 pp.
- Smith, A. H., H. D. Thiers & R. Watling (1968). Notes on species of *Leccinum*. I. Additions to Section *Leccinum*. *Lloydia* 31: 252-267.
- Smith, A. H. & Thiers, H. D. (1968). Notes on boletes—I. 1. The generic position of *Boletus subglabripes* and *Boletus chromapes*. 2. A comparison of four species of *Tylopilus*. *Mycologia* 60: 943-954.
- Smith, A. H. & H. D. Thiers (1971). *The boletes of Michigan*. Ann Arbor: U Michigan P. 428 pp.
- Smith, A. H. (1971). Some observations on selected species of *Clavariadelphus*. *Mycologia* 63: 1073-1076.
- Smith, A. H. (1972). The North American species of *Psathyrella*. *Memoirs of the New York Botanical Garden* 24: 1-633.
- Smith, A. H. & Trappe, J. M. (1972). The higher fungi of Oregon's Cascade Head Experimental Forest and vicinity - I. The genus *Phaeocollybia* (Agaricales) and notes and descriptions of other species in the Agaricales. *Mycologia* 64: 1138-1153.
- Smith, A. H. (1975). *A field guide to western mushrooms*. Ann Arbor: U Michigan P. 280 pp.
- Smith, A. H., et al. (1979). *How to know the gilled mushrooms*. Dubuque, Iowa: Wm. C. Brown. 334 pp.
- Smith, A. H. (1979). The stirps *Caligata* of *Armillaria* in North America. *Sydowia* 8: 368-377.
- Smith, A. H., et al. (1981). *How to know the non-gilled mushrooms*. Dubuque, Iowa: Wm. C. Brown. 324 pp.
- Smith, A. H., et al. (1983). *The veiled species of Hebeloma in the western United States*. Ann Arbor: University of Michigan Press. 219 pp.
- Smith, H. V. (1945). The genus *Limacella* in North America. *Papers of the Michigan Academy of Science* 30: 125-147.
- Smith, H. V. (1954). A revision of the Michigan species of *Lepiota*. *Lloydia* 17: 307-328.
- Smith, H. V. (1966). Contributions toward a monograph on the genus *Lepiota*, I. Type studies in the genus *Lepiota*. *Mycopathologia et Mycologia Applicata* 29: 97-117.
- Smith, H. V. & Sundberg, W. J. (1979). Studies on the Lepiotaceae of the Pacific Coast region. I. Two new species. *Mycotaxon* 8: 446-452.

- Smith, H. V. (1981). Some species of *Leucocoprinus* which grow in greenhouses. *The Michigan Botanist* 20: 45-52.
- Smith, H. V. & N. S. Weber (1982). Selected species of *Leucocoprinus* from the southeastern United States. *Contributions from the University of Michigan Herbarium* 15: 297-309.
- Snell, W. H., A. H. Smith & L. R. Hesler (1940). New species of boleti from Cades Cove in the Great Smokies. *Journal of the Elisa Mitchell Society* 56: 325-328.
- Snell, W. H. & E. A. Dick (1961). Notes on boletes. XIV. *Mycologia* 53: 228-236.
- Snell, W. H. & Dick, E. A. (1970). *The boleti of northeastern North America*. Germany: J. Cramer. 115 pp.
- Stadler, M. et al. (2004). Cryptic species related to *Daldinia concentrica* and *D. eschscholzii*, with notes on *D. bakeri*. *Mycological Research* 108: 257-273.
- Stadler, M., Laessle, T. L., Simpson, J. A. & Wollweber, H. (2004). A survey of *Daldinia* species with large ascospores. *Mycological Research* 108: 1025-1041.
- Stalpers, J. A. (1992). *Albatrellus* and the Heriaceae. *Persoonia* 14: 537-541.
- Stalpers, J. A. (1993). The aphylloraceous fungi I. Keys to the species of the Thelephorales. *Studies in Mycology* 35: 1-168.
- Stalpers, J. A. (1996). The aphylloraceous fungi—II. Keys to the species of Hericiales. *Studies in Mycology* 40: 1-185.
- Stamets, P. E. (1978). *Psilocybe* mushrooms and their allies. Seattle: Homestead Book Company. 160 pp.
- Stamets, P. E., M. W. Beug & J. E. Bigwood (1980). A new species and a new variety of *Psilocybe* from North America. *Mycotaxon* 11: 476-484.
- States, J. S. (1990). *Mushrooms and truffles of the Southwest*. Tucson: Arizona UP. 233 pp.
- Steffen, K. T., T. Cajthaml, J. Snajdr & P. Baldrian (2007). Differential degradation of oak (*Quercus petraea*) leaf litter by litter-decomposing basidiomycetes. *Research in Microbiology* 158: 447-455.
- Stephenson, S. L. & Stempen, H. (2000). *Myxomycetes: A handbook of slime molds*. Portland: Timber Press. 183 pp.
- Stewart, H. L. & Grund, D. W. (1974). Nova Scotian fungi. New species and records of amanitas for the province. *Canadian Journal of Botany* 52: 331-379.
- Stuntz, D. E. (1947). Studies in the genus *Inocybe* I. New and noteworthy species from Washington. *Mycologia* 39: 21-55.
- Stuntz, D. E. (Date not provided.) *How to identify mushrooms to genus IV: Keys to families and genera*. Eureka, California: Mad River Press. 94 pp.
- Stuntz, D. E. (1978). Interim skeleton key to some common species of *Inocybe* in the Pacific Northwest. Notes and species descriptions by Gibson, I. (2004). Retrieved from the Pacific Northwest Key Council Web site: <http://www.svims.ca/council/Inocybe.rtf>
- Stuntz, D. E. (2003). Trial field key to the species of *Hygrophorus* in the Pacific Northwest. Retrieved from the *Pacific Northwest Key Council* Web site: <http://www.svims.ca/council/Hygrophorus.htm>

- Suh, S-J. & Kim, J-G. (2002). Secondary structure and phylogenetic implications of ITS2 in the genus *Tricholoma*. *Journal of Microbiology and Biotechnology* 12: 130-136.
- Sundberg, W. J. (1971). A new species of *Lepiota*. *Mycologia* 63: 79-82.
- Sundberg, W. J. (1971). The genus *Chlorophyllum* (Lepiotaceae) in California. *Madrono* 21: 15-20.
- Sundberg, W. J. (1976). *Lepiota* sensu lato in California. II. Type studies of *Lepiota cupressa* and *Lepiota marginata*. *Mycotaxon* 3: 381-386.
- Sundberg, W. J. & J. A. Richardson (1980). *Mushrooms and Other Fungi of Land Between the Lakes*. Tennessee: Tennessee Valley Authority. 60 pp.
- Sundberg, W. J. et al. (1997). *Rhodotus palmatus* (Basidiomycetes, Agaricales, Tricholomataceae) in Illinois. *Mycotaxon* 65: 403-410.
- Sung, G-H., N. L. Hywel-Jones, J-M. Sung, J. J. Luangsa-ard, B. Shrestha & J. W. Spatafora (2007). Phylogenetic classification of *Cordyceps* and the clavicipitaceous fungi. *Studies in Mycology* 57: 1-63.
- Sutara, J. (1985). *Leccinum* and the question of superfluous names. *Taxon* 34: 678-686.
- Swanson, A. R. et al. (2002). Taxonomy, slime molds, and the questions we ask. *Mycologia* 94: 968-979.
- Takahashi, H. (2007). Five new species of the Boletaceae from Japan. *Mycoscience* 48: 90-99.
- Taylor, J. W. et al. (2000). Phylogenetic species recognition and species concepts in fungi. *Fungal Genetics and Biology* 31: 21-43.
- Talbot, P. H. B. (1971). *Principles of fungal taxonomy*. New York: St Martin's Press. 274 pp.
- Tedersoo, L., K. Hansen, B. A. Perry & R. Kjøller (2006). Molecular and morphological diversity of pezizalean ectomycorrhiza. *New Phytologist* 170: 581-596.
- Thiers, H. D. (1957). The agaric flora of Texas. I. New species of agarics and boletes. *Mycologia* 49: 707-722.
- Thiers, H. D. & J. M. Trappe (1969). Studies in the genus *Gastroboletus*. *Brittonia* 21: 244-254.
- Thiers, H. D. (1971). California boletes. IV. The genus *Leccinum*. *Mycologia* 63: 261-276.
- Thiers, H. D. (1976). Boletes of the southwestern United States. *Mycotaxon* 3: 261-273.
- Thiers, H. D. & Sundberg, W. J. (1976). *Armillaria* (Tricholomataceae, Agaricales) in the western United States including a new species from California. *Madrono* 23: 448-453.
- Thiers, H. D. (1979). The genus *Suillus* in the western United States. *Mycotaxon* 9: 285-296.
- Thiers, H. D. & Ammirati, J. F. (1982). New species of *Amanita* from western North America. *Mycotaxon* 15: 155-166.
- Thiers, H. D. (1982). *The Agaricales of California. 1. Amanitaceae*. Eureka, CA: Mad River Press. 42 pp.
- Thiers, H. D. (1984). The secotoid syndrome. *Mycologia* 76: 1-9.
- Thiers, H. D. (1984). The genus *Arcangeliella* Cav. In the western United States. *Sydowia* 37: 296-308.

- Thiers, H. D. (1985). *The Agaricales of California. 2. Cantharellaceae*. Eureka, CA: Mad River Press. 34 pp.
- Thiers, H. D. (1985). *The Agaricales of California. 3. Gomphidiaceae*. Eureka, CA: Mad River Press. 20 pp.
- Thiers, H. D. (1985). *The Agaricales of California. 4. Paxillaceae*. Eureka, CA: Mad River Press. 9 pp.
- Thiers, H. D. (1997). New species of *Russula* from California. *Mycotaxon* 63: 349-358.
- Thiers, H. D. (1997). *The Agaricales (Gilled Fungi) of California. 9. Russulaceae I. Russula*. Eureka, CA: Mad River Press. 158 pp.
- Thomas, W. S. (1928). *Field book of common mushrooms*. New York: G. P. Putnam's Sons. 369 pp.
- Thorn, R. G. & G. L. Barron (1984). Carnivorous mushrooms. *Science* 224: 76-78.
- Thorn, R. G. & Barron, G. L. (1986). *Nematoctonus* and the tribe Resupinateae in Ontario, Canada. *Mycotaxon* 25: 321-453.
- Tiffany, L. H. et al. (1998). Distribution and ecology of the morels and false morels of Iowa. *Journal of the Iowa Academy of Science* 105: 1-15.
- Toledo, L. D. de & Petersen, R. H. (1989). A toxic *Ramaria* species from South America. *Mycologia* 81: 662-664.
- Tosco, U. & Fanelli, A. (1973). *Mushrooms & toadstools: How to find and identify them*. London: Orbis Publishing. 64 pp.
- Toth, B. & Nagel, D. (1978). Tumors induced in mice by N-methyl-N-formylhydrazine of the false morel *Gyromitra esculenta*. *Journal of the National Cancer Institute* 60: 201-204.
- Toth, B. et al. (1992). Cancer induction in mice by feeding the raw false morel mushroom *Gyromitra esculenta*. *Cancer Research* 52: 2279-2284. (Abstract only.)
- Toth, B & P Gannett (1994). *Gyromitra esculenta* mushroom: A comparative assessment of its carcinogenic potency. *In Vivo* 8: 999-1002.
- Toth, B. T. (2004). Research interests. Retrieved March 6, 2004 from the University of Nebraska Medical Center Web site: [http://www.unmc.edu/Eppley/faculty/f\\_toth.html](http://www.unmc.edu/Eppley/faculty/f_toth.html)
- Trappe, J. M. (1972). Parasitism of *Helvella lacunosa* by *Clitocybe sclerotoidea*. *Mycologia* 64: 1337-1340.
- Trappe, J. M. (1975). The genus *Fischerula* (Tuberales). *Mycologia* 67: 934-941.
- Trappe, M., F. Evans & J. Trappe (2007). *Field Guide to North American Truffles: Hunting, Identifying, and Enjoying the World's Most Prized Fungi*. Berkeley, CA: Ten Speed Press. 136 pp.
- Tulloss, R. E. & Jenkins, D. J. (1986). Notes on distribution of *Amanita albocreata*. *Mycotaxon* 26: 81-83.
- Tulloss, R. E. (1988). *Amanita sinicoflava*—a new species from eastern North America. *Mycotaxon* 32: 421-431.
- Tulloss, R. E. (1989). *Amanita eburnea*—a new species from Central America. *Mycotaxon* 36: 1-7.

- Tulloss, R. E. (1989). *Amanita ristichii*: A new species from New England with basidia dominantly 2-spored. *Mycotaxon* 35: 363-369.
- Tulloss, R. E. & Wright, G. (1989). *Amanita protecta*--a new species from coastal southern California. *Mycotaxon* 34: 615-622.
- Tulloss, R. E. (1990). *Amanita crenulata*--history, taxonomy, distribution, and poisonings. *Mycotaxon* 39: 393-405.
- Tulloss, R. E. (1990). *Amanita salmonescens*--a new species from the southeastern United States. *Mycotaxon* 38: 125-132.
- Tulloss, R. E. (1991). *Amanita morrisii*--history, taxonomy, and distribution. *Mycotaxon* 40: 281-286.
- Tulloss, R. E. & Lindgren, J. E. (1992). *Amanita smithiana*--taxonomy, distribution, and poisonings. *Mycotaxon* 45: 373-387.
- Tulloss, R. E., Ovrebo, C. E. & Halling, R. E. (1992). Studies on *Amanita* (Amanitaceae) from Andean Colombia. *Memoirs of the New York Botanical Garden* 66: 1-46.
- Tulloss, R. E. (1993). *Amanita pachysperma*, *Amanita subvirginiana*, and *Amanita virginiana* (taxonomy and distribution) with notes on description of the lamella trama in *Amanita*. *Mycotaxon* 49: 449-475.
- Tulloss, R. E. (1994). Type studies in *Amanita* section *Vaginatae* I: Some taxa described in this century (studies 1-23) with notes on description of spores and refractive hyphae in *Amanita*. *Mycotaxon* 52: 305-396.
- Tulloss, R. E. & Lindgren, J. E. (1994). *Amanita novinupta*--a rubescent, white species from the western United States and southwestern Canada. *Mycotaxon* 51: 179-190.
- Tulloss, R. E. & Lewis, D. P. (1994). *Amanita westii*--taxonomy and distribution. A rare species from the states bordering the Gulf of Mexico. *Mycotaxon* 50: 131-138.
- Tulloss, R. E. (1995). *Amanita longitabiale*--A new species of *Amanita* section *Phalloideae* from central Mexico and southeastern U.S.A. *Mycotaxon* 54: 195-202.
- Tulloss, R. E. & Moses, E. (1995). *Amanita populiphila*--a new species from the central United States. *Mycotaxon* 53: 455-466.
- Tulloss, R. E. et al. (1995). Studies on *Amanita* (Amanitaceae) in West Virginia and adjacent areas of the mid-Appalachians. Preliminary results. *Mycotaxon* 56: 243-293.
- Tulloss, R. E. (2000). Nomenclatural changes in *Amanita*. *Mycotaxon* 75: 329-332.
- Tulloss, R. E. (2003). Draft keys to species of *Amanita* occurring in the northeastern USA and eastern Canada. Retrieved August 20, 2004 from the *Studies in the Genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/nekey.pdf>
- Tulloss, R. E. (2003). Visual key to the sections of *Amanita*. Retrieved from the *Studies in the genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/sectree.pdf>
- Tulloss, R. E. (2003). Draft keys to species of *Amanita* occurring in California, Idaho, Oregon, and Washington, U.S.A. and in neighboring regions of Canada and Mexico. Retrieved August 20, 2004 from the *Studies in the Genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/pnwcakey.pdf>
- Tulloss, R. E. (2003). Tabular and nontabular keys to rubescent species of *Amanita* section *Validae*.

Retrieved August 20, 2004 from the *Studies in the Genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/valirub.pdf>

Tulloss, R. E. (2003). Provisional world key to species closely related to *Amanita hemibapha* with notes on the "slender Caesar's mushrooms" of eastern North America. Retrieved August 20, 2004 from the *Studies in the Genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/hemibkey.html>

Tulloss, R. E. (2003). Provisional key to *Amanita stirps Crocea*, stirps *Fulva*, and stirps *Romagnesiana*. Retrieved from the *Studies in the genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/crocekey.pdf>

Tulloss, R. E. (2004). Species of section *Phalloideae* from North America having membranous, limbate to saccate volvas. Retrieved August 20, 2004 from the *Studies in the Genus Amanita* Web site: <http://pluto.njcc.com/~ret/amanita/key.dir/phallimb.html>

Tulloss, R. E. (2004). List of Amanitaceae in Great Smoky Mountains National Park. Retrieved from the *Studies in the genus Amanita* Web site: [http://pluto.njcc.com/~ret/amanita/key.dir/am\\_gdmnp.html](http://pluto.njcc.com/~ret/amanita/key.dir/am_gdmnp.html)

Tulloss, R. E. & Lindgren, J. E. (2005). *Amanita aprica*—a new toxic species from western North America. *Mycotaxon* 91: 193-205.

Twyman, E. S. (1946). Notes on the die-back of oak caused by *Colpoma quercinum* (Fr.) Wallr. *Transactions of the British Mycological Society* 29: 234-241.

Ulje, C. B. & C. Bas (1985). *Coprinus hercules*, spec. nov. *Persoonia* 12: 483-486.

Ulje, C. B. & C. Bas (1988). Studies in *Coprinus* - I. Subsections *Auricomi* and *Glabri* of *Coprinus* section *Pseudocoprinus*. *Persoonia* 13: 433-448.

Ulje, C. B. (1988). Four new species of *Coprinus* from the Netherlands. *Persoonia* 13: 479-488.

Ulje, C. B. & C. Bas (1991). Studies in *Coprinus* - II. Subsection *Setulosi* of section *Pseudocoprinus*. *Persoonia* 14: 275-339.

Ulje, C. B. & M. E. Noordeloos (1993). Studies in *Coprinus* III - *Coprinus* section *Veliformes*. Subdivision and revision of subsection *Nivei* emend. *Persoonia* 15: 257-301.

Ulje, C. B. & M. E. Noordeloos (1997). Studies in *Coprinus* IV - *Coprinus* section *Coprinus*. Subdivision and revision of subsection *Alachuanii*. *Persoonia* 16: 265-333.

Ulje, C. B. & H. Bender (1997). Additional studies in *Coprinus* subsection *Glabri*. *Persoonia* 16: 373-381.

Ulje, C. B. & M. E. Noordeloos (1999). Studies in *Coprinus* V - *Coprinus* section *Coprinus*. Revision of subsection *Lanulati* Sing. *Persoonia* 17: 165-199.

Ulje, C. B., F. Dover & M. E. Noordeloos (2000). Additions to *Coprinus* subsection *Lanulati*. *Persoonia* 17: 465-471.

Ulje, K. (2000). Some rare but easily recognizable inkcaps. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 533-542.

Ulje, C. B. & M. E. Noordeloos (2003). Notulae ad floram agaricinam Nerlandicam - XLII. Additions to *Coprinus* subsection *Setulosi*. *Persoonia* 18: 259-264.

Ulje, K. (2003). *All about inkcaps* Web site. Retrieved in February, 2005 from the World Wide Web: <http://www.homepages.hetnet.nl/~idakees/index.html>

- Ulje, C. B. (n.d.) Studies on type collections of *Coprinus* species. Retrieved March 18, 2008 from the *Raketnet* Web server: <http://users.raketnet.nl/keesuljee>
- Vellinga, E. C. & Schreurs, J. (1985). Notulae ad floram agaricinam neerlandicam - VIII. *Pluteus* Fr. In West-Europe. *Persoonia* 12: 337-373.
- Vellinga, E. C. & H. A. Huijser (1998). Studies in *Lepiota*. I. Species with a hymeniform pileus covering. *Belgian Journal of Botany* 131: 191-210.
- Vellinga, E. C., A. E. Franco-Molano & C. Bas (1998). Studies in *Lepiota* II. - *Lepiota rubella*. *Sydowia* 50: 272-277.
- Vellinga, E. C. (2000). Notes on *Lepiota* and *Leucoagaricus*. Type studies on *Lepiota magnispora*, *Lepiota barsii*, and *Agaricus americanus*. *Mycotaxon* 76: 429-438.
- Vellinga, E. C. (2001). Studies in *Lepiota* III. Some species from California, U.S.A. *Mycotaxon* 80: 285-295.
- Vellinga, E. C. (2001). Studies in *Lepiota* IV. *Lepiota cristata* and *L. castaneidisca*. *Mycotaxon* 80: 297-306.
- Vellinga, E. C. (2002). New combinations in *Chlorophyllum*. *Mycotaxon* 83: 415-417.
- Vellinga, E. C. (2003). Type studies in Agaricaceae - *Chlorophyllum rachodes* and allies. *Mycotaxon* 85: 259-270.
- Vellinga, E. C. (2003). Phylogeny of *Lepiota* (Agaricaceae)—Evidence from nrITS and nrLSU sequences. *Mycological Progress* 2: 305-322.
- Vellinga, E. C. (2003). *Chlorophyllum* and *Macrolepiota* (Agaricaceae) in Australia. *Australian Systematic Botany* 16: 361-370.
- Vellinga, E. C., R. P. J. de Kok & T. D. Bruns (2003). Phylogeny and taxonomy of *Macrolepiota* (Agaricaceae). *Mycologia* 95: 442-456.
- Vellinga, E. C. (2004). Genera in the family *Agaricaceae*: evidence from nrITS and nrLSU sequences. *Mycological Research* 108: 354-377.
- Vellinga, E. C. (2004). Ecology and distribution of Lepiotaceous fungi (Agaricaceae). A review. *Nova Hedwigia* 78: 273-299.
- Vellinga, E. C. (2006). *Chlorophyllum*. Retrieved from the *University of California at Berkeley* Web site: <http://plantbio.berkeley.edu/~bruns/ev/CHLOROPHYLLUM.pdf>
- Vellinga, E. C. (2006). *Chlorophyllum* in Great Britain. *Field Mycology* 7: 136-140.
- Vellinga, E. C. (2007). Key to the *Cystolepiota* species in western North America. Retrieved from the *University of California at Berkeley* Web site: [http://plantbio.berkeley.edu/~bruns/ev/vellinga\\_2007\\_cystolep\\_key.pdf](http://plantbio.berkeley.edu/~bruns/ev/vellinga_2007_cystolep_key.pdf)
- Vellinga, E. C. (2007). Nomenclatural overview of Lepiotaceous fungi. Version 4.3. Retrieved from the *University of California at Berkeley* Web site: [http://plantbio.berkeley.edu/~bruns/ev/vellinga\\_june2007\\_nomencl\\_v43.pdf](http://plantbio.berkeley.edu/~bruns/ev/vellinga_june2007_nomencl_v43.pdf)
- Vellinga, E. C. (2007). Nomenclatural overview of the genera in the Agaricaceae. Version 2.6. Retrieved from the *University of California at Berkeley* Web site: [http://plantbio.berkeley.edu/~bruns/ev/vellinga\\_genera\\_v.2.6\\_mar2007.pdf](http://plantbio.berkeley.edu/~bruns/ev/vellinga_genera_v.2.6_mar2007.pdf)

- Vellinga, E. C. (2007). Bibliography of North American "*Lepiota*" species. Version 2.0. Retrieved from the *University of California at Berkeley* Web site: [http://plantbio.berkeley.edu/~bruns/ev/vellinga\\_2007\\_americanliterature\\_v2.pdf](http://plantbio.berkeley.edu/~bruns/ev/vellinga_2007_americanliterature_v2.pdf)
- Verbeken, A., et al. (2000). On *Lactarius ruginosus* and *L. romagnesii* s. str. In: Associazione Micologica Bresadola, ed. *Micologia 2000*. Brescia, Italy: Grafica Sette, 569-576.
- Vesterholt, J. (2005). *The Genus Hebeloma. (Fungi of Northern Europe, Vol. 3)*. Denmark: The Danish Mycological Society. 146 pp.
- Vilgalys, R. (1991). Speciation and species concepts in the *Collybia dryophila* complex. *Mycologia* 83: 758-773.
- Vilgalys, R. & Miller, O. K. Jr. (1983). Biological species in the *Collybia dryophila* group in North America. *Mycologia* 75: 707-722.
- Vilgalys, R. & Sun, B. L. (1994). Ancient and recent patterns of geographic speciation in the oyster mushroom *Pleurotus* revealed by phylogenetic analysis of ribosomal DNA sequences. *Proceedings of the National Academy of Sciences* 91: 4599-4603.
- Vilgalys, R. & Sun, B. L. (1994). Assessment of species distribution in *Pleurotus* based on trapping of airborne basidiospores. *Mycologia* 86: 270-274.
- Vilgalys, R. (2003). Taxonomic misidentification in public DNA databases. *New Phytologist* 160: 4-5.
- Voitk, A. (2007). *A Little Illustrated Book of Common Mushrooms of Newfoundland and Labrador*. Rocky Harbour, NL: Gros Morne Co-operating Association. 272 pp.
- Volk, T. J. & Leonard, T. J. (1989). Experimental studies on the morel. I. Heterokaryon formation between monoasporous strains of *Morchella*. *Mycologia* 81: 523-531.
- Volk, T. J. & Leonard, T. J. (1990). Cytology of the life-cycle of *Morchella*. *Mycological Research* 94: 399-406.
- Volk, T. J. & Burdsall, H. H. (1995). A nomenclatural study of *Armillaria* and *Armillariella* species (Basidiomycotina, Tricholomataceae). *Synopsis Fungorum* 8: 1-121
- Volk, T. J., H. H. Burdsall & M. T. Banik (1996). *Armillaria nabsnona*, a new species from western North America. *Mycologia* 88: 484-491.
- Volk, T. J. (2002). Tom Volk's fungus of the month for May 2002: *Gyromitra esculenta*. Retrieved from the Tom Volk's Fungi Web site: [http://botit.botany.wisc.edu/toms\\_fungi/may2002.html](http://botit.botany.wisc.edu/toms_fungi/may2002.html)
- Volk, T. J. & Burdsall, H. H. (n.d.) The state of taxonomy of the genus *Armillaria*. Retrieved March 26, 2007 from the *Tom Volk's Fungi* Web site: [http://botit.botany.wisc.edu/toms\\_fungi/arm.html](http://botit.botany.wisc.edu/toms_fungi/arm.html)
- Volk, T. J. (n.d.) Key to North American *Armillaria* species. Retrieved January 29, 2008 from the *Tom Volk's Fungi* Web site: [http://botit.botany.wisc.edu/toms\\_fungi/armkey.html](http://botit.botany.wisc.edu/toms_fungi/armkey.html)
- Wagner, T. & Fischer, M. (2002). Proceedings towards a natural classification of the worldwide taxa *Phellinus* s. l. and *Ionotus* s. l., and phylogenetic relationships of allied genera. *Mycologia* 94: 998-1016.
- Watling, R. (1982). *British Fungus Flora Agarics and Boleti 3. Bolbitiaceae: Agrocybe, Bolbitius & Conocybe*. Edinburgh: Her Majesty's Stationery Office.
- Watling, R. & Miller, O. K. Jr. (1987). Observations on the Bolbitiaceae – 30 *Agaricus callistus* Peck.

*Mycologia* 79: 310-313.

Watling, R. & N. M. Gregory (1993). *British Fungus Flora Agarics and Boleti. 7. Cortinariaceae*. Edinburgh: Royal Botanic Garden.

Weber, N. S. (1972). The genus *Helvella* in Michigan. *The Michigan botanist* 11: 147-201.

Weber, N. S. (1975). Notes on western species of *Helvella*. I. *Beihefte Nova Hedwigia* 51: 25-38.

Weber, N. S. (1995). *A morel hunter's companion: A guide to true and false morels*. Lansing, MI: Thunder Bay Press. 209 pp.

Weber, N. S. (1995). Western American Pezizales. *Selenaspora guernisacii*, new to North America. *Mycologia* 87: 90-95.

Weber, N. S. & Smith, A. H. (1985). *A field guide to southern mushrooms*. Ann Arbor: U Michigan P. 280 pp.

Weber, N. S. et al. (1997). Studies on western American Pezizales. Collecting and describing ascomata--macroscopic features. *Mycotaxon* 61: 153-176.

Weber, R. & Webster, J. (1996). *Volvariella surrecta*: An uncommon mycoparasite. *Mycologist* 10: 160.

Webster, J. et al. (1989). Vapor as the source of water in Buller's drop. *Mycological Research* 99: 297-302.

Weiss, M., Yang, Z-L. & Oberwinkler, F. (1998). Molecular phylogenetic studies in the genus *Amanita*. *Canadian Journal of Botany* 76: 1170- 1179.

Wells, K. (1958). Studies of some Tremellaceae. II. The genus *Ductifera*. *Mycologia* 50: 407-416.

Wells, K. (1994). Jelly fungi, then and now! *Mycologia* 86: 18-48.

Wells, V. L. & P. E. Kempton (1967). Studies on the fleshy fungi of Alaska. I. *Lloydia* 30: 258-268.

Wells, V. L. & Kempton, P. E. (1971). Studies on the fleshy fungi of Alaska. V. The genus *Strobilurus* with notes on extralimital species. *Mycologia* 63: 370-379.

Wells, V. L. & P. E. Kempton (1975). New and interesting fungi from Alaska. *Nova Hedwigia* 51: 347-358.

Whalley, A. J. S. & R. Watling (1980). *Daldinia concentrica* versus *Daldinia vernicosa*. *Transactions of the British Mycological Society* 74: 399-406.

Wicklow, D. T. & Hirschfield, B. J. (1979). Competitive hierarchy in postfire ascomycetes. *Mycologia* 71: 47-54.

Winder, R. S. (2006). Cultural studies of *Morchella elata*. *Mycological Research* 110: 612-623.

Winka, K. (2000). Phylogenetic relationships within the Ascomycota based on 18S rDNA sequences. Ph.D. thesis, Umea University, Sweden. 25 pp.

Wipf, D. et al. (1996). DNA polymorphism in morels: Complete sequences of the internal transcribed spacer of genes coding for rRNA in *Morchella esculenta* (yellow morel) and *Morchella conica* (black morel). *Applied and Environmental Microbiology* 62: 3541-3543.

Wipf, D. et al. (1999). Diversity of the internal transcribed spacer of rDNA in morels. *Canadian Journal*

of *Microbiology* 45: 769-778.

Wolfe, C. B. (1979). *Austroboletus and Tylopilus subgenus Porphyrellus with emphasis on North American taxa*. Germany: J. Cramer. 148 pp.

Wolfe, C. B. & R. E. Halling (1989). *Tylopilus griseocarneus*, a new species from the North American Atlantic and Gulf Coastal plain. *Mycologia* 81: 342-346.

Wolfe, C. B. & N. L. Bougher (1993). Systematics, mycogeography, and evolutionary history of *Tylopilus* subg. *Roseoscabra* in Australia elucidated by comparison with Asian and American species. *Australian Systematic Botany* 6: 187-213.

Wolfel, G. & M. E. Noordeloos (1997). *Entoloma triste* und nahe verwandte Arten. *Ost. Zeitschr. F. Pilzk.* 6: 23-33.

Wolfel, G. & M. E. Noordeloos (2001). Neue oder bemerkenswerte *Entoloma*-Arten der Kanarischen Inseln. *Ost. Zeitschr. F. Pilzk.* 10: 185-200.

Wong, G. J. et al. (1985). Interfertility and comparative morphological studies of *Tremella mesenterica*. *Mycologia* 77: 36-49.

Wood, W. F. et al. (1994). *trans*-2-Nonenal, the cucumber odor of mushrooms. *Mycologia* 86: 561-563.

Wood, W. F. et al. (2003) Indole and 3-chloroindole: The source of the disagreeable odor of *Hygrophorus paupertinus*. *Mycologia* 95: 807-808.

Wood, W. F. et al. (2004). Clitolactone: a banana slug antifeedant from *Clitocybe flaccida*. *Mycologia* 96: 23-25.

Worrall, J. J. et al. (1997). Comparison of wood decay among diverse lignicolous fungi. *Mycologia* 89: 199-219.

Wright, J. (2007). *The River Cottage Mushroom Handbook*. London: Bloomsbury Publishing. 256 pp.

Wurz, T. L. et al. (2005). Harvesting morels after wildfire in Alaska. USDA: Research Note PNW-RN-546.

Yao, Y-J. & Spooner, B. M. (2002). Notes on British species of *Tazzetta* (Pezizales). *Mycological Research* 106: 1243-1246.

Yoon, C. et al. (1990). Population genetics and systematics of the *Morchella esculenta* complex. *Mycologia* 82: 227-235.

Zamora-Martinez, M. C. & de Pascual-Pola, C. N. (2004). Studies of *Tricholoma magnivelare* in Mexico. *Micologia Aplicada Internacional* 16: 13-23.

Zeller, S. M. (1944). A white variety of *Mutinus caninus*. *Mycologia* 36: 263-265.

Zeller, S. M. (1947). More notes on gasteromycetes. *Mycologia* 39: 282-312.

Zeller, S. M. (1934). A new species of *Lepiota*. *Mycologia* 26: 210-211.

Zeller, S. M. & Smith, A. H. (1964). The genus *Calvatia* in North America. *Lloydia* 27: 148-186.

Zervakis, G. & Balis, C. (1996). A pluralistic approach in the study of *Pleurotus* species with emphasis on compatibility and physiology of the European morphotaxa. *Mycological Research* 100: 717-731.

Zugmaier, W. et al. Mycoparasitism of some *Tremella* species. *Mycologia* 86: 49-56.